

## Accepted Manuscript

Title: Defining the relative performance of isothermal assays that can be used for rapid and sensitive detection of foot-and-mouth disease virus

Authors: Emma L.A. Howson, Yohei Kurosaki, Jiro Yasuda, Masayoshi Takahashi, Hiroaki Goto, Ashley R. Gray, Valerie Mioulet, Donald P. King, Veronica L. Fowler



PII: S0166-0934(17)30335-X  
DOI: <http://dx.doi.org/10.1016/j.jviromet.2017.08.013>  
Reference: VIRMET 13315

To appear in: *Journal of Virological Methods*

Received date: 25-5-2017  
Revised date: 18-7-2017  
Accepted date: 16-8-2017

Please cite this article as: Howson, Emma L.A., Kurosaki, Yohei, Yasuda, Jiro, Takahashi, Masayoshi, Goto, Hiroaki, Gray, Ashley R., Mioulet, Valerie, King, Donald P., Fowler, Veronica L., Defining the relative performance of isothermal assays that can be used for rapid and sensitive detection of foot-and-mouth disease virus. *Journal of Virological Methods* <http://dx.doi.org/10.1016/j.jviromet.2017.08.013>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Defining the relative performance of isothermal assays that can be used for rapid and sensitive detection of foot-and-mouth disease virus**

*Emma L A Howson<sup>1,2</sup>, Yohei Kurosaki<sup>3</sup>, Jiro Yasuda<sup>3</sup>, Masayoshi Takahashi<sup>4</sup>, Hiroaki Goto<sup>4</sup>, Ashley R Gray<sup>1</sup>, Valerie Mioulet<sup>1</sup>, Donald P King<sup>1</sup>, and Veronica L Fowler<sup>1</sup>*

*<sup>1</sup>The Pirbright Institute, Ash Road, Pirbright, Surrey, GU24 0NF, UK*

*<sup>2</sup>Institute of Biodiversity, Animal Health and Comparative Medicine, College of Medical, Veterinary & Life Sciences, Graham Kerr Building, University of Glasgow, G12 8QQ, UK*

*<sup>3</sup>Department of Emerging Infectious Diseases, Institute of Tropical Medicine, Nagasaki University, 1-12-4, Sakamoto, Nagasaki, 852-8523, Japan*

*<sup>4</sup>Toshiba Medical Systems Corporation, 1385, Shimoishigami, Otawara-shi, Tochigi 324-8550, Japan*

**Corresponding Author:**

Veronica Fowler  
The Pirbright Institute, Ash Road, Pirbright, Surrey, GU24 0NF, UK  
Tel: +44 (0)1483 231290  
E-mail: veronica.fowler@pirbright.ac.uk

**Emails:**

Emma L A Howson: emma.howson@pirbright.ac.uk  
Yohei Kurosaki: ykuro@nagasaki-u.ac.jp  
Jiro Yasuda: j-yasuda@nagasaki-u.ac.jp  
Masayoshi Takahashi: masayoshi8.takahashi@toshiba.co.jp  
Hiroaki Goto: hiroaki.goto@toshiba.co.jp  
Ashley R Gray: ashley.gray@pirbright.ac.uk  
Valerie Mioulet: valerie.mioulet@pirbright.ac.uk  
Donald P King: donald.king@pirbright.ac.uk  
Veronica L Fowler: veronica.fowler@pirbright.ac.uk

**Highlights**

- Isothermal assays representative of RT-LAMP and RT-RPA were compared against rRT-PCR

Download English Version:

<https://daneshyari.com/en/article/5672988>

Download Persian Version:

<https://daneshyari.com/article/5672988>

[Daneshyari.com](https://daneshyari.com)