





## **Keyword index**

#### A

- Acinetobacter baumannii Acinetobacter baumannii and A. pittii clinical isolates lack adherence and cytotoxicity to lung epithelial cells in vitro, 559
- Acinetobacter pittii Acinetobacter baumannii and A. pittii clinical isolates lack adherence and cytotoxicity to lung epithelial cells in vitro, 559
- Acute phase response Almroth Wright, opsonins, innate immunity and the lectin pathway of complement activation: a historical perspective, 450
- Adherence Expression of Mycobacterium tuberculosis NLPC/p60 family protein Rv0024 induce biofilm formation and resistance against cell wall acting antituberculosis drugs in Mycobacterium smegmatis, 224 Acinetobacter baumannii and A. pittii clinical isolates lack adherence and cytotoxicity to lung epithelial cells in vitro, 559
- Adhesion Infection of human keratinocytes by *Streptococcus dysgalactiae* subspecies *dysgalactiae* isolated from milk of the bovine udder, 290
- Adipose tissue Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease, 675
- Adjuvant TLR 9 involvement in early protection induced by immunization with rPb27 against Paracoccidioidomycosis, 137
- Aedes aegypti Autophagy and viral diseases transmitted by Aedes aegypti and Aedes albopictus, 169
- Aggregation Almroth Wright, opsonins, innate immunity and the lectin pathway of complement activation: a historical perspective, 450
- **Aging** Centenary of the death of Elie Metchnikoff: a visionary and an outstanding team leader, 577
- **Airway epithelial cells** *Neisseriae* internalization by epithelial cells is enhanced by TLR2 stimulation, 627
- **Alphavirus** Mayaro virus: a forest virus primed for a trip to the city?, 724
- Alveolar macrophage GM-CSF has disparate roles during intranasal and intradermal *Francisella tularensis* infection, 758
- Anemia Dynamic control of hepatic Plasmodium numbers by hepcidin despite elevated liver iron during iron supplementation, 48
- Anthrax toxin Bacillus anthracis spore movement does not require a carrier cell and is not affected by lethal toxin in human lung models. 615

- Antibody-dependent enhancement Dengue virus infection-enhancing antibody activities against Indonesian strains in inhabitants of central Thailand, 277
- Antigens Computational modeling of TC0583 as a putative component of the *Chlamydia muridarum* V-type ATP synthase complex and assessment of its protective capabilities as a vaccine antigen, 245
- **Antimicrobial proteins** Autonomous immunity in mucosal epithelial cells: fortifying the barrier against infection, 387
- Antimicrobial resistance Expression of Mycobacterium tuberculosis NLPC/p60 family protein Rv0024 induce biofilm formation and resistance against cell wall acting anti-tuberculosis drugs in Mycobacterium smegmatis, 224
- Antiviral agents Identification of innate immune antiretroviral factors during *in vivo* and *in vitro* exposure to HIV-1, 211 Antiviral molecules correlate with vitamin D pathway genes and are associated with natural resistance to HIV-1 infection, 510
- Antiviral therapy A randomized open-label clinical trial of an anti-HPV biological dressing (JB01-BD) administered intravaginally to treat high-risk HPV infection, 148
- Apicomplexa Extracellular Toxoplasma gondii tachyzoites metabolize and incorporate unnatural sugars into cellular proteins, 199
- Arbovirus Zika virus: epidemiology, clinical features and host-virus interactions, 441 – Mayaro virus: a forest virus primed for a trip to the city?, 724
- Argentina Prevalence and infection intensity of *Rickettsia massiliae* in *Rhipicephalus sanguineus* sensu lato ticks from Mendoza, Argentina, 701
- **Arthralgia** Mayaro virus: a forest virus primed for a trip to the city?, 724
- Arthropod-borne virus Zika virus an overview, 295
- Atypical strain Development of dual fluorescent stage specific reporter strain of *Toxoplasma gondii* to follow tachyzoite and bradyzoite development *in vitro* and *in vivo*, 39
- Autophagy Autophagy and viral diseases transmitted by Aedes aegypti and Aedes albopictus, 169 – Lipid droplets affect elimination of Porphyromonas gingivalis in HepG2 cells by altering the autophagylysosome system, 565

#### В

- **B cells** *Brucella abortus*-infected B cells induce osteoclastogenesis, 529
- **B-1 cell** Infection with *Paracoccidioides* brasiliensis induces B-1 cell migration and activation of regulatory T cells, 798
- Bacillus anthracis Bacillus anthracis spore movement does not require a carrier cell and is not affected by lethal toxin in human lung models. 615
- **Bacteria-containing vacuole** Rab32/38 and the xenophagic restriction of intracellular bacteria replication, 595
- Bacterial community structure Resilience of the intestinal microbiota following pathogenic bacterial infection is independent of innate immunity mediated by NOD1 or NOD2, 460
- **Bacterial-host interaction** *Ehrlichia*'s molecular tricks to manipulate their host cells, 172
- Bacterial lysates Intranasal administration of a polyvalent bacterial lysate induces self-restricted inflammation in the lungs and a Th1/Th17 memory signature, 747
- BCG Post-exposure vaccination with the vaccine candidate Bacillus Calmette–Guérin Δ*ureC::hly* induces superior protection in a mouse model of subclinical tuberculosis, 364
- Beta-adrenergic blocking activity Recombinant murine toxin from *Yersinia* pestis shows high toxicity and β-adrenergic blocking activity in mice, 329
- Bifidobacterium longum 5<sup>1A</sup> Control of Klebsiella pneumoniae pulmonary infection and immunomodulation by oral treatment with the commensal probiotic Bifidobacterium longum 5<sup>1A</sup>, 180
- Biofilm Expression of Mycobacterium tuberculosis NLPC/p60 family protein Rv0024 induce biofilm formation and resistance against cell wall acting antituberculosis drugs in Mycobacterium smegmatis, 224 Candida albicans biofilms: development, regulation, and molecular mechanisms, 310
- BMP Expression and role of the TGF-β family in glial cells infected with Borna disease virus, 128
- Borna disease virus Expression and role of the TGF- $\beta$  family in glial cells infected with Borna disease virus, 128
- Borrelia burgdorferi Statins reduce spirochetal burden and modulate immune responses in the C3H/HeN mouse model of Lyme disease, 430 – Pleomorphic forms of Borrelia burgdorferi induce distinct immune responses, 484

- **Bovine** Infection of human keratinocytes by Streptococcus dysgalactiae subspecies dysgalactiae isolated from milk of the bovine udder, 290
- Bradyzoite Development of dual fluorescent stage specific reporter strain of *Toxoplasma* gondii to follow tachyzoite and bradyzoite development in vitro and in vivo, 39
- **Brain disorders** Infection and characterization of *Toxoplasma gondii* in human induced neurons from patients with brain disorders and healthy controls, 153
- Brain endothelium Cryptococcal transmigration across a model brain bloodbarrier: evidence of the Trojan horse mechanism and differences between *Cryptococcus neoformans* var. *grubii* strain H99 and *Cryptococcus gattii* strain R265, 57
- Brucella abortus Brucella abortus-infected B cells induce osteoclastogenesis, 529
- **Burkholderia** Melioidosis: a greater threat than previously suspected?, 661

#### (

- CAMP factor Streptococcus pyogenes CAMP factor attenuates phagocytic activity of RAW 264.7 cells, 118
- Cancer Cytotoxic *Escherichia coli* strains encoding colibactin colonize laboratory mice, 777
- Candida albicans Candida albicans biofilms: development, regulation, and molecular mechanisms, 310 TLR2, TLR4 and Dectin-1 signalling in hematopoietic stem and progenitor cells determines the antifungal phenotype of the macrophages they produce, 354 TLR2 modulates gut colonization and dissemination of Candida albicans in a murine model, 656
- Cardiomyopathy Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease, 675
- Caspase-1 Is the inflammasome relevant for epithelial cell function?, 93
- CD8+ T cells CD8+ T cells remove cysts of Toxoplasma gondii from the brain mostly by recognizing epitopes commonly expressed by or cross-reactive between type II and type III strains of the parasite, 517 – IL-2 complex treatment amplifies CD8+ T cell mediated immunity following herpes simplex virus-1 infection, 735
- Cell death Innate immunity in tuberculosis: how the sensing of mycobacteria and tissue damage modulates macrophage death, 11 1,3,4-Thiadiazole derivatives of *R*-(+)-limonene benzaldehyde-thiosemicarbazones cause death in *Trypanosoma cruzi* through oxidative stress, 787
- **Cell repair** Is the inflammasome relevant for epithelial cell function?, 93
- Cell signaling Autonomous immunity in mucosal epithelial cells: fortifying the barrier against infection, 387
- Cell wall biogenesis Statins reduce spirochetal burden and modulate immune responses in the C3H/HeN mouse model of Lyme disease, 430
- **Cellular microbiology** 1926–2016: 90 Years of listeriology, 711
- Cervical cancer A randomized open-label clinical trial of an anti-HPV biological dressing (JB01-BD) administered intravaginally to treat high-risk HPV infection, 148

- Chagas disease Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease, 675 1,3,4-Thiadiazole derivatives of *R*-(+)-limonene benzaldehyde-thiosemicarbazones cause death in *Trypanosoma cruzi* through oxidative stress, 787
- Chikungynya virus Autophagy and viral diseases transmitted by *Aedes aegypti* and *Aedes albopictus*, 169
- **Children** Development and maturation of norovirus antibodies in childhood, 263
- Chlamydia The p<sup>47</sup>phox deficiency significantly attenuates the pathogenicity of Chlamydia muridarum in the mouse oviduct but not uterine tissues, 190 IRE1α mediates PKR activation in response to Chlamydia trachomatis infection, 472
- Chlamydia caviae Infectious dose and repeated infections are key factors influencing immune response characteristics in guinea pig ocular chlamydial infection, 254
- Chlamydia trachomatis Computational modeling of TC0583 as a putative component of the Chlamydia muridarum V-type ATP synthase complex and assessment of its protective capabilities as a vaccine antigen, 245
- Cholera Biochemical and full genome sequence analyses of clinical Vibrio cholerae isolates in Mexico reveals the presence of novel V. cholerae strains, 322
- Chronic colitis model Resilience of the intestinal microbiota following pathogenic bacterial infection is independent of innate immunity mediated by NOD1 or NOD2, 460
- Clec4d Signalling through MyD88 drives surface expression of the mycobacterial receptors MCL (Clecsf8, Clec4d) and Mincle (Clec4e) following microbial stimulation, 505
- Clec4e Signalling through MyD88 drives surface expression of the mycobacterial receptors MCL (Clecsf8, Clec4d) and Mincle (Clec4e) following microbial stimulation, 505
- "Click" chemistry Extracellular Toxoplasma gondii tachyzoites metabolize and incorporate unnatural sugars into cellular proteins, 199
- Clinical trial A randomized open-label clinical trial of an anti-HPV biological dressing (JB01-BD) administered intravaginally to treat high-risk HPV infection, 148
- Clostridium difficile High fecal IgA is associated with reduced Clostridium difficile colonization in infants, 543
- Clostridium difficile infection Identification of key taxa that favor intestinal colonization of Clostridium difficile in an adult Chinese population, 30
- Clostridium species Roles of transcription factors and epigenetic modifications in differentiation and maintenance of regulatory T cells, 378
- Co-infection Burden and viral aetiology of influenza-like illness and acute respiratory infection in intensive care units, 270
- Colibactin Cytotoxic Escherichia coli strains encoding colibactin colonize laboratory mice, 777
- **Colocalization** Pleomorphic forms of *Borrelia burgdorferi* induce distinct immune responses, 484

- Combination adjuvant Mucosal delivery of a combination adjuvant comprising emulsified fine particles and LD-indolicidin enhances serological immunity to inactivated influenza virus, 706
- Conversion Development of dual fluorescent stage specific reporter strain of *Toxoplasma* gondii to follow tachyzoite and bradyzoite development in vitro and in vivo, 39
- Coxiella burnetii Modulation of the host transcriptome by Coxiella burnetii nuclear effector Cbu1314, 336
- **CPAF** Neutralizing antichlamydial activity of complement by chlamydia-secreted protease CPAF, 669
- CPG TLR 9 involvement in early protection induced by immunization with rPb27 against Paracoccidioidomycosis, 137
- CRF01\_AE Neutralization breadth and potency of serum derived from recently human immunodeficiency virus type 1-infected Thai individuals, 346
- Cryptococcus Cryptococcal transmigration across a model brain blood-barrier: evidence of the Trojan horse mechanism and differences between Cryptococcus neoformans var. grubii strain H99 and Cryptococcus gattii strain R265, 57
- CTLA-4 Surface expression of inhibitory (CTLA-4) and stimulatory (OX40) receptors by CD4+ regulatory T cell subsets circulating in human malaria, 639
- C-type lectin receptor Signalling through MyD88 drives surface expression of the mycobacterial receptors MCL (Clecsf8, Clec4d) and Mincle (Clec4e) following microbial stimulation, 505
- **CXCL8** Role of the *Yersinia* YopJ protein in suppressing interleukin-8 secretion by human polymorphonuclear leukocytes, 21
- Cyst Development of dual fluorescent stage specific reporter strain of *Toxoplasma gondii* to follow tachyzoite and bradyzoite development *in vitro* and *in vivo*, 39 Infection and characterization of *Toxoplasma gondii* in human induced neurons from patients with brain disorders and healthy controls, 153 Use of human induced pluripotent stem cell-derived neurons as a model for Cerebral Toxoplasmosis, 496 CD8+ T cells remove cysts of *Toxoplasma gondii* from the brain mostly by recognizing epitopes commonly expressed by or cross-reactive between type II and type III strains of the parasite, 517
- Cytokines Trypanosome-induced Interferon-γ production in whole blood stimulation assays is associated with latent *Trypanosoma brucei gambiense* infections, 436 Adaptive immune response in symptomatic and asymptomatic enteric protozoal infection: evidence for a determining role of parasite genetic heterogeneity in host immunity to human giardiasis, 687
- Cytotoxicity Acinetobacter baumannii and A. pittii clinical isolates lack adherence and cytotoxicity to lung epithelial cells in vitro, 559 Cytotoxic Escherichia coli strains encoding colibactin colonize laboratory mice, 777

### Download English Version:

# https://daneshyari.com/en/article/5673472

Download Persian Version:

https://daneshyari.com/article/5673472

<u>Daneshyari.com</u>