


Accepted Manuscript

Extracellular polysaccharide derived from potential probiotic strain with antioxidant and antibacterial activities as a prebiotic agent to control pathogenic bacterial biofilm formation



Abdelkarim Mahdhi, Nadia Leban, Ibtissem Chakroun, Mohamed Aymen Chaouch, Jawhar Hafsa, Kais Fdhila, Kacem Mahdouini, Hatem Majdoub

PII: S0882-4010(16)30517-4

DOI: [10.1016/j.micpath.2017.05.046](https://doi.org/10.1016/j.micpath.2017.05.046)

Reference: YMPAT 2290

To appear in: *Microbial Pathogenesis*

Received Date: 1 September 2016

Revised Date: 1 May 2017

Accepted Date: 30 May 2017

Please cite this article as: Mahdhi A, Leban N, Chakroun I, Chaouch MA, Hafsa J, Fdhila K, Mahdouini K, Majdoub H, Extracellular polysaccharide derived from potential probiotic strain with antioxidant and antibacterial activities as a prebiotic agent to control pathogenic bacterial biofilm formation, *Microbial Pathogenesis* (2017), doi: 10.1016/j.micpath.2017.05.046.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 Extracellular polysaccharide derived from potential probiotic strain with antioxidant and
2 antibacterial activities as a prebiotic agent to control pathogenic bacterial biofilm formation

3

4 Abdelkarim Mahdhi^{a*}, Nadia Leban^b, Ibtissem Chakroun^a, Mohamed Aymen Chaouch^c,
5 Jawhar Hafsa^d, Kais Fdhila^a, Kacem Mahdouini^a and Hatem Majdoub^{c*}

6

7 ^a Laboratoire d'analyse, de traitement et de valorisation des polluants de l'environnement et
8 des produits, Faculté de Pharmacie de Monastir, Université de Monastir, Rue Ibn Sina, 5000
9 Monastir, Tunisia.

10 ^b Laboratoire de biochimie et de Biologie moléculaire, Faculté de Pharmacie de Monastir,
11 Université de Monastir, Rue Ibn Sina, 5000 Monastir, Tunisia.

12 ^c Laboratoire des Interfaces et des Matériaux Avancés (LIMA), Faculté des Sciences de
13 Monastir, Université de Monastir, Bd. de l'environnement, 5019 Monastir, Tunisia.

14 ^d Laboratoire de Biochimie, Faculté de Médecine, Université de Sousse, 4002 Sousse,
15 Tunisia.

16

17

18

19

20

21 *Corresponding authors:

22 Prof. Hatem Majdoub, Faculté des Sciences de Monastir, Université de Monastir, Tunisia.

23 Phone:+216 98355740; E-mail: hatemmajdoub.fsm@gmail.com

24 Dr. Abdelkarim Mahdhi, Faculté de Pharmacie de Monastir, Université de Monastir,
25 Tunisia. Phone: +216 98331699; E-mail: abdelkarim_mh@yahoo.fr

Download English Version:

<https://daneshyari.com/en/article/5673884>

Download Persian Version:

<https://daneshyari.com/article/5673884>

[Daneshyari.com](https://daneshyari.com)