


Modified flotation method, an effective technique for recovering helminth eggs in soil

PII: S1383-5769(16)30099-X
 DOI: doi: [10.1016/j.parint.2016.04.010](https://doi.org/10.1016/j.parint.2016.04.010)
 Reference: PARINT 1496

Received date: 4 January 2016
Revised date: 3 April 2016
Accepted date: 29 April 2016



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Modified flotation method, an effective technique for recovering helminth eggs in soilSaori Horiuchi^a and Shoji Uga^b

^a Nishikyo Health Center, Kyoto City, 1-2 Katsura Ushitoracho, Nishikyo-ku, Kyoto 615-8083, Japan

^b Department of Parasitology, Faculty of Nursing, Kobe Women's University, 4-7-2 Minatojima-nakamachi, Chuo-ku, Kobe 650-0046, Japan

Corresponding Author: Shoji Uga, PhD (Department of Parasitology, Faculty of Nursing, Kobe Women's University, 4-7-2 Minatojima-nakamachi, Chuo-ku, Kobe 650-0046, Japan).
E-mail: s-uga@yg.kobe-wu.ac.jp

Note: The present method was published (2012) in Japanese in "Materials and Methods in Parasitology" [1]. All figures have been newly prepared or revised for this publication.

e-mail address

Saori Horiuchi: saori-h.6321@hotmail.co.jp

Shoji Uga: s-uga@yg.kobe-wu.ac.jp, ugas@kobe-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5674144>

Download Persian Version:

<https://daneshyari.com/article/5674144>

[Daneshyari.com](https://daneshyari.com)