

Accepted Manuscript

Fetal and neonatal outcomes of preterm infants born before 32 weeks of gestation according to antenatal versus postnatal assessments of restricted growth

Isabelle Monier, RM, MSc, Pierre-Yves Ancel, MD, PhD, Anne Ego, MD, PhD, Pierre-Henri Jarreau, MD, PhD, Cécile Lebeaux, MD, MSc, Monique Kaminski, MSc, François Goffinet, MD, PhD, Jennifer Zeitlin, MA, DSc

PII: S0002-9378(17)30178-3

DOI: [10.1016/j.ajog.2017.02.001](https://doi.org/10.1016/j.ajog.2017.02.001)

Reference: YMOB 11521

To appear in: *American Journal of Obstetrics and Gynecology*

Received Date: 26 September 2016

Revised Date: 16 January 2017

Accepted Date: 1 February 2017

Please cite this article as: Monier I, Ancel P-Y, Ego A, Jarreau P-H, Lebeaux C, Kaminski M, Goffinet F, Zeitlin J, for the Epipage 2 Study Group, Fetal and neonatal outcomes of preterm infants born before 32 weeks of gestation according to antenatal versus postnatal assessments of restricted growth, *American Journal of Obstetrics and Gynecology* (2017), doi: 10.1016/j.ajog.2017.02.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Fetal and neonatal outcomes of preterm infants born before 32 weeks of gestation according to antenatal versus postnatal assessments of restricted growth

Authors

Isabelle MONIER, RM, MSc¹, Pierre-Yves ANCEL, MD, PhD^{1,2}, Anne EGO, MD, PhD^{1,3}, Pierre-Henri JARREAU, MD, PhD⁴, Cécile LEBEAUX, MD, MSc¹, Monique KAMINSKI, MSc¹, François GOFFINET, MD, PhD^{1,5}, Jennifer ZEITLIN, MA, DSc¹ for the EPIPAGE 2 Study Group.

Affiliations

¹ Inserm UMR 1153, Obstetrical, Perinatal and Pediatric Epidemiology Research Team (Epopé), Center for Epidemiology and Statistics Sorbonne Paris Cité, DHU Risks in pregnancy, Paris Descartes University, Paris, France

² URC - CIC P1419, Assistance Publique-Hôpitaux de Paris, Hôpital Cochin, Paris, F-75014 France

³ Clinical Research Center (CICO3), Grenoble University Hospital, Grenoble, France

⁴ DHU Risks in Pregnancy, Paris Descartes University, Department of intensive care and neonatal medicine of Port-Royal, Cochin University Hospital, Assistance publique-Hôpitaux de Paris, Paris, France

⁵ Port-Royal Maternity Unit, Department of Obstetrics and Gynaecology, Cochin University Hospital, Assistance Publique-Hôpitaux de Paris, Paris, France

Disclosure statement: The authors report no conflict of interest

Funding source

The EPIPAGE 2 study was funded and supported by: (1) the French Institute of Public Health Research/Institute of Public Health and its partners: the French Health Ministry, the National Institute of Health and Medical Research (INSERM), the National Institute of Cancer, and the

Download English Version:

<https://daneshyari.com/en/article/5675683>

Download Persian Version:

<https://daneshyari.com/article/5675683>

[Daneshyari.com](https://daneshyari.com)