## **Accepted Manuscript**

Japanese Viewpoint on Amniotic Fluid Embolism

Tomoaki Oda, MD, Naoaki Tamura, PhD, Naohiro Kanayama, PhD

PII: S0002-9378(17)30336-8

DOI: 10.1016/j.ajog.2017.02.034

Reference: YMOB 11554

To appear in: American Journal of Obstetrics and Gynecology

Received Date: 17 November 2016

Accepted Date: 17 February 2017

Please cite this article as: Oda T, Tamura N, Kanayama N, Japanese Viewpoint on Amniotic Fluid Embolism, *American Journal of Obstetrics and Gynecology* (2017), doi: 10.1016/j.ajog.2017.02.034.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## **Japanese Viewpoint on Amniotic Fluid Embolism**

- 2 Tomoaki ODA, MD
- 3 Naoaki TAMURA, PhD
- 4 Naohiro KANAYAMA, PhD
- 5 Department of Obstetrics & Gynecology, Hamamatsu University School of Medicine,
- 6 Hamamatsu, Japan

7

- **8** Conflict of Interest and Financial Disclosure Statements
- 9 The authors report no conflict of interest and no funding sources.

10

- 11 Address correspondence to: Naohiro KANAYAMA, MD, PhD; Hamamatsu University
- 12 School of Medicine, Department of Obstetrics and Gynecology, 1-20-1 Handayama,
- 13 Higashi-ku, Hamamatsu, 431-3192, Japan; Phone: +81-53-435-2309, FAX:
- 14 +81-53-435-2308
- 15 **E-mail:** kanayama@hama-med.ac.jp
- 16 Word count
- 17 The manuscript has 400 words in its main body.

## Download English Version:

## https://daneshyari.com/en/article/5675737

Download Persian Version:

https://daneshyari.com/article/5675737

<u>Daneshyari.com</u>