

Accepted Manuscript

Relationship between pedometer-based physical activity and physical function in patients with osteoarthritis of the knee: a cross-sectional study

Hirofumi Iijima, MSc, Naoto Fukutani, PhD, Takuya Isho, MSc, Yuko Yamamoto, Masakazu Hiraoka, Kazuyuki Miyano, Masashi Jinnouchi, MSc, Eishi Kaneda, MD, Tomoki Aoyama, MD, PhD, Hiroshi Kuroki, PhD, Shuichi Matsuda, MD, PhD

PII: S0003-9993(17)30031-X

DOI: [10.1016/j.apmr.2016.12.021](https://doi.org/10.1016/j.apmr.2016.12.021)

Reference: YAPMR 56780

To appear in: *ARCHIVES OF PHYSICAL MEDICINE AND REHABILITATION*

Received Date: 9 November 2016


Revised Date: 28 November 2016

Accepted Date: 9 December 2016

Please cite this article as: Iijima H, Fukutani N, Isho T, Yamamoto Y, Hiraoka M, Miyano K, Jinnouchi M, Kaneda E, Aoyama T, Kuroki H, Matsuda S, Relationship between pedometer-based physical activity and physical function in patients with osteoarthritis of the knee: a cross-sectional study, *ARCHIVES OF PHYSICAL MEDICINE AND REHABILITATION* (2017), doi: 10.1016/j.apmr.2016.12.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





II

Potential simple cutoff for a fall off of physical function
(JKOM activities of daily living, Timed Up and Go, and 10-meter walk)

Download English Version:

<https://daneshyari.com/en/article/5677447>

Download Persian Version:

<https://daneshyari.com/article/5677447>

[Daneshyari.com](https://daneshyari.com)