


## Accepted Manuscript

Title: Optical Coherence Tomography Imaging of Basal Cell Carcinoma Undergoing Photodynamic Therapy: A Pilot Study

Authors: Luana Niculescu, Erhard Bierhoff, Daniela Hartmann, Thomas Ruzicka, Carola Berking, Tanja von Braunmühl



PII: S1572-1000(16)30264-2  
DOI: <http://dx.doi.org/doi:10.1016/j.pdpdt.2017.01.185>  
Reference: PDPDT 896

To appear in: *Photodiagnosis and Photodynamic Therapy*

Received date: 25-11-2016  
Revised date: 8-1-2017  
Accepted date: 30-1-2017

Please cite this article as: Niculescu Luana, Bierhoff Erhard, Hartmann Daniela, Ruzicka Thomas, Berking Carola, Braunmühl Tanja von. Optical Coherence Tomography Imaging of Basal Cell Carcinoma Undergoing Photodynamic Therapy: A Pilot Study. *Photodiagnosis and Photodynamic Therapy* <http://dx.doi.org/10.1016/j.pdpdt.2017.01.185>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **Optical Coherence Tomography Imaging of Basal Cell Carcinoma Undergoing Photodynamic Therapy: A Pilot Study**

Luana Niculescu<sup>a</sup>, Erhard Bierhoff<sup>b</sup>, Daniela Hartmann<sup>a,c</sup>, Thomas Ruzicka<sup>a</sup>, Carola Berking<sup>a</sup>, Tanja von Braunmühl<sup>a,c</sup>

<sup>a</sup>Department of Dermatology and Allergology, Ludwig Maximilian University, Frauenlobstr. 9-11, 80337 Munich, Germany.

<sup>b</sup>Heinz-Werner-Seifert-Institute of Dermatopathology, Trierer Straße 70 – 72, 53115 Bonn, Germany.

<sup>c</sup>Department of Dermatology, Municipal Hospital of Munich, Thalkirchner Str. 48, 80337 Munich, Germany.

**Address correspondence to:** Luana Niculescu Department of Dermatology and Allergology, Ludwig Maximilian University, Frauenlobstr. 9-11, 80337 Munich, Germany  
E-mail address: Luana.Niculescu@med.uni-muenchen.de

### **Highlights**

- The conversion of hyporeflective basal cell carcinoma nodules into hyperreflective ovoid structures was remarked with optical coherence tomography (OCT) as a sign of tumor regression under photodynamic therapy (PDT).
- OCT presented a higher accuracy in identifying residual and non-residual lesions after PDT treatment compared to clinical inspection alone.

Download English Version:

<https://daneshyari.com/en/article/5682368>

Download Persian Version:

<https://daneshyari.com/article/5682368>

[Daneshyari.com](https://daneshyari.com)