
Accepted Manuscript

Title: Photodynamic Therapy in the Treatment of Vulvar Lichen Sclerosus

Authors: Agnieszka Maździarz, Beata Osuch, Magdalena Kowalska, Agnieszka Nalewczyńska, Beata Śpiewankiewicz



PII:	S1572-1000(17)30230-2
DOI:	http://dx.doi.org/doi:10.1016/j.pdpdt.2017.05.011
Reference:	PDPDT 963
To appear in:	Photodiagnosis and Photodynamic Therapy
Received date:	26-2-2017
Revised date:	29-4-2017
Accepted date:	14-5-2017

Please cite this article as: Maździarz Agnieszka, Osuch Beata, Kowalska Magdalena, Nalewczyńska Agnieszka, Śpiewankiewicz Beata.Photodynamic Therapy in the Treatment of Vulvar Lichen Sclerosus.*Photodiagnosis and Photodynamic Therapy* http://dx.doi.org/10.1016/j.pdpdt.2017.05.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Photodynamic Therapy in the Treatment of Vulvar Lichen Sclerosus

Agnieszka Maździarz M.D., Ph.D.¹, Beata Osuch M.D.,Ph.D.¹, Magdalena Kowalska M.D.¹, Agnieszka Nalewczyńska M.D.,Ph.D.¹, Beata Śpiewankiewicz M.D., Ph.D.

Author Information:

¹Department of Gynecologic Oncology, The Maria Sklodowska-Curie Memorial Cancer Centre and Institute of Oncology in Warsaw, Poland, 02-781 Warsaw, Roentgena Street 5,

e- mail: ginonkol@coi.waw.pl

Corresponding author:

Agnieszka Maździarz

Poland, 02-781 Warsaw, Roentgena Street 5,

Tel. +48 503 158 197

Fax: +48 22 546 32 90

e-mail: agaem855@interia.pl

This article has no funding source.

The authors have no conflict of interest to declare.

The material contained in the manuscript has not been published, has not been submitted for publication.

Highlights

- - Photodynamic therapy has a good therapeutic effect, with the 87.25% improvement rate in patients suffering from lichen sclerosus.
- Patients demonstrated positive responses to photodynamic therapy and the treatment was well tolerated.
- - Photodynamic therapy used to treat lichen sclerosus yields excellent cosmetic results.

Abstract

Download English Version:

https://daneshyari.com/en/article/5682432

Download Persian Version:

https://daneshyari.com/article/5682432

Daneshyari.com