Author's Accepted Manuscript

CT-based Diagnosis of Visceral Obesity and Hepatic Steatosis is Associated with Low Urine pH

Nishant D. Patel, Ryan D. Ward, Juan Calle, Erick M. Remer, Manoj Monga



PII: S0022-5347(17)74682-4 DOI: 10.1016/j.juro.2017.05.079

Reference: JURO 14785

To appear in: The Journal of Urology

Accepted Date: 30 May 2017

Please cite this article as: Patel ND, Ward RD, Calle J, Remer EM, Monga M, CT-based Diagnosis of Visceral Obesity and Hepatic Steatosis is Associated with Low Urine pH, *The Journal of Urology*® (2017), doi: 10.1016/j.juro.2017.05.079.

DISCLAIMER: This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our subscribers we are providing this early version of the article. The paper will be copy edited and typeset, and proof will be reviewed before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to The Journal pertain.

Embargo Policy

All article content is under embargo until uncorrected proof of the article becomes available online.

We will provide journalists and editors with full-text copies of the articles in question prior to the embargo date so that stories can be adequately researched and written. The standard embargo time is 12:01 AM ET on that date. Questions regarding embargo should be directed to jumedia@elsevier.com.

ACCEPTED MANUSCRIPT

CT-based Diagnosis of Visceral Obesity and Hepatic Steatosis is Associated with Low Urine pH

Nishant D. Patel MD¹, Ryan D. Ward MD², Juan Calle MD¹, Erick M. Remer MD², Manoj Monga MD¹

- 1. Glickman Urology and Kidney Institute, Cleveland Clinic Foundation, Cleveland, OH
- 2. Imaging Institute, Cleveland Clinic Foundation, Cleveland, OH

Cleveland Clinic Foundation Department of Urology 9500 Euclid Ave, Q10-1 Cleveland, OH 44195

Corresponding Author

Manoj Monga MD Cleveland Clinic Foundation 9500 Euclid Ave, Q10-1 Cleveland, OH 44195 Phone: 216-445-8678

Fax: 216-636-0770 Email: mongam@ccf.org

Brief Description- This study demonstrates visceral obesity and hepatic steatosis diagnosed on non-contrast CT scan is associated with low urine pH. Elevated visceral fat is also associated with high urinary sodium and uric acid nephrolithiasis.

Running Head- Visceral Obesity, Liver Steatosis and Low Urine pH **Keywords**- kidney stone, CT, visceral obesity, hepatic steatosis, insulin resistance, low urine pH **Disclosures** - None

Abstract- 248
Full text- 2500
Manuscript pages- 9
Figures- 2
Tables- 7
References- 25

Download English Version:

https://daneshyari.com/en/article/5686166

Download Persian Version:

https://daneshyari.com/article/5686166

<u>Daneshyari.com</u>