

Author's Accepted Manuscript

FGFR3, *TERT* and *OTX1* as urinary biomarker combination for surveillance of bladder cancer patients in a large prospective multicenter study

Willemien Beukers , Kirstin A. van der Keur , Raju Kandimalla , Yvonne Vergouwe , Ewout W. Steyerberg , Joost L. Boormans , Jorgen B. Jensen , José A. Lorente , Francisco X. Real , Ulrike Segersten , Torben F. Orntoft , Nuria Malats , Per-Uno Malmström , Lars Dyrskjot , Ellen C. Zwarthoff



PII: S0022-5347(16)32099-7
DOI: [10.1016/j.juro.2016.12.096](https://doi.org/10.1016/j.juro.2016.12.096)
Reference: JURO 14287

To appear in: *The Journal of Urology*

Please cite this article as: Beukers W, van der Keur KA, Kandimalla R, Vergouwe Y, Steyerberg EW, Boormans JL, Jensen JB, Lorente JA, Real FX, Segersten U, Orntoft TF, Malats N, Malmström PU, Dyrskjot L, Zwarthoff EC, *FGFR3*®, *TERT* and *OTX1* as urinary biomarker combination for surveillance of bladder cancer patients in a large prospective multicenter study, *The Journal of Urology* (2017), doi: 10.1016/j.juro.2016.12.096.

DISCLAIMER: This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our subscribers we are providing this early version of the article. The paper will be copy edited and typeset, and proof will be reviewed before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to The Journal pertain.

Embargo Policy

All article content is under embargo until uncorrected proof of the article becomes available online.

We will provide journalists and editors with full-text copies of the articles in question prior to the embargo date so that stories can be adequately researched and written. The standard embargo time is 12:01 AM ET on that date. Questions regarding embargo should be directed to jumedia@elsevier.com.

FGFR3, TERT and OTX1 as urinary biomarker combination for surveillance of bladder cancer patients in a large prospective multicenter study

Willemien Beukers¹, Kirstin A. van der Keur¹, Raju Kandimalla¹, Yvonne Vergouwe², Ewout W. Steyerberg², Joost L. Boormans³, Jorgen B. Jensen⁴, José A. Lorente⁵, Francisco X. Real^{6,7}, Ulrike Segersten⁸, Torben F. Orntoft⁹, Nuria Malats⁶, Per-Uno Malmström⁸, Lars Dyrskjot⁹, Ellen C.

Zwarthoff¹

1 Department of Pathology, Erasmus MC, Rotterdam, The Netherlands

2 Department of Public Health, Erasmus MC, Rotterdam, The Netherlands

3 Department of Urology, Erasmus MC, Rotterdam, The Netherlands

4 Department of Urology, Aarhus University Hospital, Aarhus, Denmark

5 Servei d'Urologia, Hospital del Mar, Barcelona, Spain

6 Epithelial Carcinogenesis Group, Cancer Cell Biology Programme, Spanish National Cancer Research Centre-CNIO, Madrid, Spain

7 Departament de Ciències Experimentals i de la Salut, Universitat Pompeu Fabra, Barcelona, Spain

8 Department of Surgical Sciences, Uppsala University, Uppsala, Sweden

9 Department of Molecular Medicine, Aarhus University Hospital, Aarhus, Denmark

Abstract: 233 words

Article: 2458 words, excluding abstract

Running title: Urinary markers for bladder cancer surveillance

Keywords: urine analysis, bladder cancer, surveillance

Conflict of Interest: None

Corresponding author

Prof. dr. E.C. Zwarthoff

Department of Pathology

Erasmus MC, P.O. Box 2040

3000 CA Rotterdam, the Netherlands

Phone: +3110 7043929, Fax: +31107044762

E-mail: e.zwarthoff@erasmusmc.nl

Download English Version:

<https://daneshyari.com/en/article/5686293>

Download Persian Version:

<https://daneshyari.com/article/5686293>

[Daneshyari.com](https://daneshyari.com)