## **Author's Accepted Manuscript**

Robotic Assisted Simple Prostatectomy (RASP) versus Holmium Laser Enucleation of the Prostate (HoLEP) for lower urinary tract symptoms in patients with large volume prostates (>100 ml): a comparative analysis from a high-volume center

Paolo Umari , Nicola Fossati , Giorgio Gandaglia , Morgan Pokorny , Ruben De Groote , Nicolas Geurts , Marijn Goossens , Peter Schatterman , Geert De Naeyer , Alexandre Mottrie

PII: S0022-5347(16)31214-9 DOI: 10.1016/j.juro.2016.08.114

Reference: JURO 13994

To appear in: The Journal of Urology

Accepted Date: 31 August 2016

Please cite this article as: Umari P, Fossati N, Gandaglia G, Pokorny M, De Groote R, Geurts N, Goossens M, Schatterman P, De Naeyer G, Mottrie A, Robotic Assisted Simple Prostatectomy (RASP) versus Holmium Laser Enucleation of the Prostate (HoLEP) for lower urinary tract symptoms in patients with large volume prostates (>100 ml): a comparative analysis from a high-volume center, *The Journal of Urology*® (2016), doi: 10.1016/j.juro.2016.08.114.

**DISCLAIMER:** This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our subscribers we are providing this early version of the article. The paper will be copy edited and typeset, and proof will be reviewed before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to The Journal pertain.

#### **Embargo Policy**

All article content is under embargo until uncorrected proof of the article becomes available online.

We will provide journalists and editors with full-text copies of the articles in question prior to the embargo date so that stories can be adequately researched and written. The standard embargo time is 12:01 AM ET on that date. Questions regarding embargo should be directed to jumedia@elsevier.com.



ACCEPTED MANUSCRIPT

Robotic Assisted Simple Prostatectomy (RASP) versus Holmium Laser Enucleation of the

Prostate (HoLEP) for lower urinary tract symptoms in patients with large volume prostates

(>100 ml): a comparative analysis from a high-volume center

Paolo Umari<sup>1,3</sup>, Nicola Fossati<sup>2,3</sup>, Giorgio Gandaglia<sup>2,3</sup>, Morgan Pokorny<sup>4</sup>, Ruben De

Groote<sup>3</sup>, Nicolas Geurts<sup>3</sup>, Marijn Goossens<sup>3</sup>, Peter Schatterman<sup>3</sup>, Geert De Naeyer<sup>3</sup>,

Alexandre Mottrie<sup>3</sup>

<sup>1</sup> University of Trieste, Ospedali riuniti di Trieste, Trieste, Italy.

<sup>2</sup> Division of Oncology / Unit of Urology; URI; IRCCS Ospedale San Raffaele, Milan, Italy.

<sup>3</sup> Department of Urology, Onze Lieve Vrouwziekenhuis Hospital, Aalst, Belgium.

<sup>4</sup> Department of Urology, The Wesley Hospital, Brisbane, Australia.

### Address all correspondence to:

Paolo Umari, MD

Department of Urology

University of Trieste (Trieste, Italy) - Onze Lieve Vrouwziekenhuis Hospital (Aalst, Belgium)

E-mail: paoloumari@alice.it

Word count (text): 2414

Tables: 3

Text pages: 12

Word count (abstract): 249

Figures: 0

References: 30

Keywords: Robotic Assisted Simple Prostatectomy, Holmium Laser Enucleation of the

Prostate, Benign Prostatic Hyperplasia.

This research received no specific grant from any funding agency in the public,

commercial, or not-for-profit sectors. The authors declare no conflicts of interest in

preparing this article.

1

#### Download English Version:

# https://daneshyari.com/en/article/5687374

Download Persian Version:

https://daneshyari.com/article/5687374

<u>Daneshyari.com</u>