

Author's Accepted Manuscript

Early Post-Operative Radiotherapy is Associated with Worse Functional Outcomes in Prostate Cancer Patients

Emanuele Zaffuto , Giorgio Gandaglia , Nicola Fossati , Paolo Dell'Oglio , Marco Moschini , Vito Cucchiara , Nazareno Suardi , Vincenzo Mirone , Marco Bandini , Shahrokh F. Shariat , Pierre I. Karakiewicz , Francesco Montorsi , Alberto Briganti



PII: S0022-5347(16)31377-5
DOI: [10.1016/j.juro.2016.09.079](https://doi.org/10.1016/j.juro.2016.09.079)
Reference: JURO 14043

To appear in: *The Journal of Urology*
Accepted Date: 7 September 2016

Please cite this article as: Zaffuto E, Gandaglia G, Fossati N, Dell'Oglio P, Moschini M, Cucchiara V, Suardi N, Mirone V, Bandini M, Shariat SF, Karakiewicz PI, Montorsi F, Briganti A, Early Post-Operative Radiotherapy is Associated with Worse Functional Outcomes in Prostate Cancer Patients, *The Journal of Urology*® (2016), doi: 10.1016/j.juro.2016.09.079.

DISCLAIMER: This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our subscribers we are providing this early version of the article. The paper will be copy edited and typeset, and proof will be reviewed before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to The Journal pertain.

Embargo Policy

All article content is under embargo until uncorrected proof of the article becomes available online.

We will provide journalists and editors with full-text copies of the articles in question prior to the embargo date so that stories can be adequately researched and written. The standard embargo time is 12:01 AM ET on that date. Questions regarding embargo should be directed to jumedia@elsevier.com.

EARLY POST-OPERATIVE RADIOTHERAPY IS ASSOCIATED WITH WORSE FUNCTIONAL OUTCOMES IN PROSTATE CANCER PATIENTS

Emanuele Zaffuto^{1,2}, Giorgio Gandaglia¹, Nicola Fossati¹, Paolo Dell'Oglio¹,
Marco Moschini¹, Vito Cucchiara¹, Nazareno Suardi¹, Vincenzo Mirone³, Marco
Bandini¹, Shahrokh F Shariat⁴, Pierre I Karakiewicz², Francesco Montorsi¹,
Alberto Briganti¹

¹. Division of Oncology/Unit of Urology; Urological Research Institute; IRCCS Ospedale San Raffaele; Milan, Italy

². Cancer Prognostics and Health Outcomes Unit, University of Montreal Health Center, Montreal, Canada

³. Urology Department, University of Naples Federico II, Naples, Italy

⁴. Department of Urology, Medical University of Vienna, Vienna, Austria

Corresponding author:

Alberto Briganti, Prof.

Division of Oncology/Unit of Urology; Urological Research Institute
IRCCS Ospedale San Raffaele; Milan, Italy

Via Olgettina, 60 – 20132 Milan, Italy

Tel: +39 02.2643.7286

Fax: +39 02.2643.7298

E-mail: briganti.alberto@hsr.it

Word count (abstract): 250

Word count (text): 2,467

Text pages: 2 (abstract) + 12 (article)

Tables: 3

References: 30

Figures: 2

Running head: time to radiotherapy on functional outcomes

Keywords: Prostatic Neoplasms; radiotherapy; prostatectomy; erectile dysfunction; urinary incontinence

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors. The authors declare no conflicts of interest in preparing this article.

Download English Version:

<https://daneshyari.com/en/article/5687465>

Download Persian Version:

<https://daneshyari.com/article/5687465>

[Daneshyari.com](https://daneshyari.com)