

Accepted Manuscript

Title: Ointment Fistulography: Introducing a Novel Technique for Single or Multiple Urethrocuteaneous Fistula Diagnosis after Hypospadias Surgery

Author: Sarah Mozafarpour, Abdol-Mohammad Kajbafzadeh, Reza Abbasioun, Ali Akbar Habibi, Behnam Nabavizadeh

PII: S0090-4295(17)30303-5
DOI: <http://dx.doi.org/doi: 10.1016/j.urology.2017.03.037>
Reference: URL 20371

To appear in: *Urology*

Received date: 24-1-2017
Accepted date: 28-3-2017

Please cite this article as: Sarah Mozafarpour, Abdol-Mohammad Kajbafzadeh, Reza Abbasioun, Ali Akbar Habibi, Behnam Nabavizadeh, Ointment Fistulography: Introducing a Novel Technique for Single or Multiple Urethrocuteaneous Fistula Diagnosis after Hypospadias Surgery, *Urology* (2017), <http://dx.doi.org/doi: 10.1016/j.urology.2017.03.037>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title: Ointment Fistulography: Introducing a Novel Technique for Single or Multiple Urethrocutaneous Fistula Diagnosis after Hypospadias Surgery

Short Title: Ointment Fistulography for Diagnosis of Urethrocutaneous Fistula

Authors: Sarah Mozafarpour, M.D.¹, Abdol-Mohammad Kajbafzadeh, M.D.², Reza Abbasioun, M.D.², Ali Akbar Habibi, M.D.², Behnam Nabavizadeh, M.D.²

¹ Department of Urology, Harvard Medical School, Massachusetts General Hospital, Boston, MA 02114, USA

² Department of Pediatric Urology, Pediatric Urology Research Center, Pediatric Center of Excellence, Tehran University of Medical Sciences, Tehran, Iran (IRI)

Abstract word count: 430

Correspondence to:

Abdol-Mohammad Kajbafzadeh M.D

Professor of Pediatric Urology,

Director, Pediatric Urology Research Center, Section of Tissue Engineering and Stem Cells Therapy, Children's Hospital Medical Center, Tehran University of Medical Sciences, Tehran, Iran (IRI)

No. 62 Qarib's St. Keshavarz Blvd, Pediatric Urology Research Center, Children's Hospital Medical Center, Pediatric Center of Excellence, Tehran 1419733151, Iran (IRI)

Tel: + 98 21 66565400

FAX: + 98 21 66565500

E-mail: kajbafzd@sina.tums.ac.ir

Conflicts of Interest: None.

Keywords: fistula, hypospadias, urethra

Introduction and Objective:

Hypospadias is a common congenital malformation of the male genital tract. The most frequent complication after hypospadias repair is urethrocutaneous fistula (1). Its incidence has been

Download English Version:

<https://daneshyari.com/en/article/5688607>

Download Persian Version:

<https://daneshyari.com/article/5688607>

[Daneshyari.com](https://daneshyari.com)