


Accepted Manuscript



“Marked Elevation of Plasma Levels of Oxidative stress-Responsive Apoptosis Inducing Protein in Dialysis Patients”

Kentaro Tanaka, MD, PhD, Takako Yao, PhD, Tsutomu Fujimura, PhD, Kimie Murayama, PhD, Shuichi Fukuda, MD, PhD, Ko Okumura, MD, PhD, Yoshinori Seko, MD, PhD

PII: S2468-0249(16)30063-8

DOI: [10.1016/j.ekir.2016.08.011](https://doi.org/10.1016/j.ekir.2016.08.011)

Reference: EKIR 41

To appear in: *Kidney International Reports*

Received Date: 3 July 2016

Revised Date: 5 August 2016

Accepted Date: 16 August 2016

Please cite this article as: Tanaka K, Yao T, Fujimura T, Murayama K, Fukuda S, Okumura K, Seko Y, “Marked Elevation of Plasma Levels of Oxidative stress-Responsive Apoptosis Inducing Protein in Dialysis Patients”, *Kidney International Reports* (2016), doi: 10.1016/j.ekir.2016.08.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**“Marked Elevation of Plasma Levels of Oxidative stress-Responsive Apoptosis
Inducing Protein in Dialysis Patients”**

Kentaro Tanaka¹, MD, PhD; Takako Yao, PhD²; Tsutomu Fujimura, PhD³; Kimie Murayama, PhD⁴; Shuichi Fukuda, MD, PhD⁵; Ko Okumura, MD, PhD⁶; Yoshinori Seko, MD, PhD²

¹Higashiyamato Nangai Clinic, 4-2-8 Nangai, Higashiyamato, Tokyo, Japan; ²Division of Cardiovascular Medicine, The Institute for Adult Diseases, Asahi Life Foundation, Tokyo, Japan; ³Laboratory of Bioanalytical Chemistry, Tohoku Pharmaceutical University, Sendai, Japan; ⁴Division of Proteomics and Biomolecular Science, BioMedical Research Center, Graduate School of Medicine, Juntendo University, Tokyo, Japan; ⁵Wakakusa Clinic, Tochigi, Japan; ⁶Department of Atopy Research Center, Juntendo University School of Medicine, Tokyo, Japan.

Corresponding Author: Yoshinori Seko, MD, PhD, Division of Cardiovascular Medicine, The Institute for Adult Diseases, Asahi Life Foundation, 2-2-6 Nihonbashi-Bakurocho, Chuo-ku, Tokyo 103-0002, Japan.

E-mail: sekoyosh-tky@umin.ac.jp

FAX: +81-3-3639-5520

TEL: +81-3-3639-5501

Download English Version:

<https://daneshyari.com/en/article/5689593>

Download Persian Version:

<https://daneshyari.com/article/5689593>

[Daneshyari.com](https://daneshyari.com)