

Accepted Manuscript

Title: A Case of Chromosomal Disorders of Sex Development with Transverse Testicular Ectopia Mimicking Mixed Gonadal Dysgenesis

Author: Fumi Matsumoto, Futoshi Matsui, Koji Yazawa, Kenji Shimada

PII: S0090-4295(16)30705-1

DOI: <http://dx.doi.org/doi: 10.1016/j.urology.2016.10.005>

Reference: URL 20071

To appear in: *Urology*

Received date: 24-8-2016

Accepted date: 3-10-2016

Please cite this article as: Fumi Matsumoto, Futoshi Matsui, Koji Yazawa, Kenji Shimada, A Case of Chromosomal Disorders of Sex Development with Transverse Testicular Ectopia Mimicking Mixed Gonadal Dysgenesis, *Urology* (2016), <http://dx.doi.org/doi: 10.1016/j.urology.2016.10.005>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A case of chromosomal disorders of sex development with transverse testicular ectopia mimicking mixed gonadal dysgenesis

FUMI MATSUMOTO, FUTOSHI MATSUI, KOJI YAZAWA and KENJI SHIMADA

Department of Urology, Osaka Medical Center and Research Institute for Maternal and Child Health, Osaka, Japan

Correspondence:

Fumi Matsumoto M.D.

Department of Urology, Osaka Medical Center and Research Institute for Maternal and Child Health, 840 Murodo-cho, Izumi, Osaka 594-1101, Japan

TEL: +81-725-56-1220; FAX: +81-725-56-5682

E-mail address: fumim@mch.pref.osaka.jp

KEY WORDS: Transverse testicular ectopia, persistent Mullerian duct syndrome, hypospadias, chromosomal disorders of sex development

Transverse testicular ectopia (TTE) is a rare form of ectopic testis observed in boys with a normal 46, XY karyotype. TTE can be associated with persistent Müllerian duct syndrome or other genital anomalies such as hypospadias. However, TTE concomitant with both persistent Müllerian duct remnants and hypospadias has never been reported in the literature. A case of chromosomal disorders of sex development with TTE and persistent

Download English Version:

<https://daneshyari.com/en/article/5690797>

Download Persian Version:

<https://daneshyari.com/article/5690797>

[Daneshyari.com](https://daneshyari.com)