

## Accepted Manuscript

Title: Pilot randomised controlled trial comparing the risk of neonatal respiratory distress in elective caesarean section at 38 weeks' gestation following a course of corticosteroids versus caesarean at 39 weeks



Authors: Nicolas Sananès, Antoine Koch, Benoît Escande, Germain Aissi, Gabrielle Fritz, Emmanuel Roth Midwife, Michèle Weil, Ahmad Bakri, Chantal Bolender, Nicolas Meyer, Christophe Vayssiere, Adrien Gaudineau, Israël Nisand, Romain Favre, Pierre Kuhn, Bruno Langer

PII: S0301-2115(17)30123-9  
DOI: <http://dx.doi.org/doi:10.1016/j.ejogrb.2017.03.020>  
Reference: EURO 9824

To appear in: *EURO*

Received date: 4-10-2016  
Revised date: 23-1-2017  
Accepted date: 8-3-2017

Please cite this article as: Sananès Nicolas, Koch Antoine, Escande Benoît, Aissi Germain, Fritz Gabrielle, Midwife Emmanuel Roth, Weil Michèle, Bakri Ahmad, Bolender Chantal, Meyer Nicolas, Vayssiere Christophe, Gaudineau Adrien, Nisand Israël, Favre Romain, Kuhn Pierre, Langer Bruno. Pilot randomised controlled trial comparing the risk of neonatal respiratory distress in elective caesarean section at 38 weeks' gestation following a course of corticosteroids versus caesarean at 39 weeks. *European Journal of Obstetrics and Gynecology and Reproductive Biology* <http://dx.doi.org/10.1016/j.ejogrb.2017.03.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Pilot randomised controlled trial comparing the risk of neonatal respiratory distress in elective caesarean section at 38 weeks' gestation following a course of corticosteroids versus caesarean at 39 weeks.**

**Running headline:** Elective caesarean at 38 weeks after corticosteroids.

Nicolas Sananès MD, MPH<sup>a,b</sup>, Antoine Koch MD<sup>a</sup>, Benoît Escande MD<sup>c</sup>, Germain Aissi MD<sup>a</sup>, Gabrielle Fritz MD<sup>a</sup>, Emmanuel Roth Midwife<sup>a</sup>, Michèle Weil MD<sup>c</sup>, Ahmad Bakri MD<sup>d</sup>, Chantal Bolender MD<sup>e</sup>, Nicolas Meyer MD-PhD<sup>f</sup>, Christophe Vayssiere MD-PhD<sup>g</sup>, Adrien Gaudineau MD<sup>a</sup>, Israël Nisand MD-PhD<sup>a</sup>, Romain Favre MD-PhD<sup>a</sup>, Pierre Kuhn MD-PhD<sup>c</sup>, Bruno Langer MD-PhD<sup>a</sup>.

<sup>a</sup> Department of Obstetrics and Gynecology, Strasbourg Teaching Hospital, France

<sup>b</sup> UMR-S 1121 Inserm, "Biomatériaux et Bioingénierie", Strasbourg, France

<sup>c</sup> Department of Pediatrics, Strasbourg Teaching Hospital, France

<sup>d</sup> Department of Obstetrics and Gynecology, Hospital of Haguenau, France

<sup>e</sup> Department of Pediatrics, Hospital of Haguenau, France

<sup>f</sup> Department of Public Health, Strasbourg Teaching Hospital, France

<sup>g</sup> Department of Obstetrics and Gynecology, Toulouse Teaching Hospital, France.

Corresponding author: Nicolas Sananès

Service de Gynécologie-Obstétrique,

Hôpitaux Universitaires de Strasbourg, 67091 Strasbourg cedex, France.

Tel: +33 3 88 12 78 39 / Fax: +33 3 88 12 83 08

E-mail: [nicolas.sananes@chru-strasbourg.fr](mailto:nicolas.sananes@chru-strasbourg.fr)

Download English Version:

<https://daneshyari.com/en/article/5692797>

Download Persian Version:

<https://daneshyari.com/article/5692797>

[Daneshyari.com](https://daneshyari.com)