Accepted Manuscript

The effect of vertical versus horizontal vaginal cuff closure on vaginal length after laparoscopic hysterectomy

Amanda Marie Hill, M.D., K. Meryl David, M.D., Lindsay Clark-Donat, M.D., Lee Marvin Hammons, M.D., Masoud Azodi, M.D., Dan-Arin Silasi, M.D.

PII: S1553-4650(16)31105-0

DOI: 10.1016/j.jmig.2016.09.015

Reference: JMIG 2960

To appear in: The Journal of Minimally Invasive Gynecology

Received Date: 10 August 2016

Revised Date: 13 September 2016

Accepted Date: 26 September 2016

Please cite this article as: Hill AM, David KM, Clark-Donat L, Hammons LM, Azodi M, Silasi DA, The effect of vertical versus horizontal vaginal cuff closure on vaginal length after laparoscopic hysterectomy., *The Journal of Minimally Invasive Gynecology* (2016), doi: 10.1016/j.jmig.2016.09.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



- 1 The effect of vertical versus horizontal vaginal cuff closure on vaginal length after
- 2 laparoscopic hysterectomy.
- 3
- 4 Amanda Marie Hill, M.D., K. Meryl David, M.D., Lindsay Clark-Donat, M.D., Lee Marvin
- 5 Hammons, M.D., Masoud Azodi, M.D., and Dan-Arin Silasi, M.D.
- 6 Department of Obstetrics and Gynecology, Yale New Haven Health Bridgeport Hospital, Yale
- 7 School of Medicine, New Haven, CT.
- 8 Corresponding author contact information: Amanda Marie Hill, M.D. 909 E. Camelback Rd. Unit
- 9 1115, Phoenix, AZ, 85014. Email: AmandaHillMD@gmail.com
- 10 Key words: laparoscopy, hysterectomy, vaginal length, pelvic organ prolapse
- 11
- 12 **Disclosures:** None of the authors have any conflicts of interest or financial relationships to
- 13 disclose.
- 14
- 15 Precis
- 16 Horizontal and vertical laparoscopic closure of the vaginal cuff after laparoscopic hysterectomy
- 17 result in similar changes in vaginal length and other POP-Q scores.

This data has previously been presented as an abstract at the 44th AAGL Global Congress on Minimally Invasive Gynecologic Surgery. Las Vegas, Nevada (November 2015)

1

Download English Version:

https://daneshyari.com/en/article/5692850

Download Persian Version:

https://daneshyari.com/article/5692850

Daneshyari.com