Accepted Manuscript

Title: Effect of unilateral tubal abnormalities on the results of intrauterine inseminations

Author: Tiffany Cochet, Nicolas Gatimel, Jessika Moreau, Clémentine Cohade, Carole Fajau, Florence Lesourd, Jean Parinaud, Roger Léandri

PII: DOI:	S1472-6483(17)30256-0 http://dx.doi.org/doi: 10.1016/j.rbmo.2017.05.018
Reference:	RBMO 1759
To appear in:	Reproductive BioMedicine Online
Densional datas	20.12.2016

 Received date:
 20-12-2016

 Revised date:
 23-5-2017

 Accepted date:
 23-5-2017

Please cite this article as: Tiffany Cochet, Nicolas Gatimel, Jessika Moreau, Clémentine Cohade, Carole Fajau, Florence Lesourd, Jean Parinaud, Roger Léandri, Effect of unilateral tubal abnormalities on the results of intrauterine inseminations, *Reproductive BioMedicine Online* (2017), http://dx.doi.org/doi: 10.1016/j.rbmo.2017.05.018.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Short title: One or two tubes for IUI?

Effect of unilateral tubal abnormalities on the results of intrauterine inseminations

Tiffany Cochet,^a Nicolas Gatimel,^{b,c} Jessika Moreau,^{b,c} Clémentine Cohade,^b Carole Fajau,^b Florence Lesourd,^b Jean Parinaud,^{b,c,*} Roger Léandri^{b,c}

^aClinique d'Occitanie, 31600 Muret, France ^bMédecine de la Reproduction, CHU Toulouse, 31059 Toulouse, France ^cGroupe de Recherche en Fertilité Humaine EA 3694, Université Paul Sabatier, 31059 Toulouse, France

*Corresponding author: Professor J Parinaud, Médecine de la Reproduction, CHU Paule de Viguier, 330 avenue de Grande Bretagne, 31059 Toulouse, France. Tel: +33 567771007, E-mail address: parinaud.j@chu-toulouse.fr

Abstract

A total of 101 patients with one normal tube were compared with 117 patients with two normal tubes to assess the effect of unilateral tubal abnormalities on the results of intrauterine inseminations. The clinical pregnancy and live birth rates seemed to reduce by one-half in almost all types of abnormality, suggesting that these patients should be preferentially treated with IVF.

KEYWORDS: clinical pregnancy rate, Fallopian tubes, IUI, live birth rates, tubal patency

Comment [S1]: Author: change in title ok ?

Download English Version:

https://daneshyari.com/en/article/5696627

Download Persian Version:

https://daneshyari.com/article/5696627

Daneshyari.com