

Accepted Manuscript

The risk of postoperative complications and functional impairment after multimodality treatment for limb and trunk wall soft-tissue sarcoma: long term results from a monocentric series

Dr. Eberhard Stoeckle, MD, Audrey Michot, MD, Leslie Regal, MSc, Florence Babre, MD, Paul Sargos, MD, Bénédicte Henriques de Figueiredo, MD, Véronique Brouste, MSc, Antoine Italiano, MD, PhD, Maud Toulmonde, MD, François Le Loarer, MD, PhD, Michèle Kind, MD.

PII: S0748-7983(17)30113-0

DOI: [10.1016/j.ejso.2017.01.018](https://doi.org/10.1016/j.ejso.2017.01.018)

Reference: YEJSO 4582

To appear in: *European Journal of Surgical Oncology*


Received Date: 21 November 2016

Revised Date: 15 January 2017

Accepted Date: 24 January 2017

Please cite this article as: Stoeckle E, Michot A, Regal L, Babre F, Sargos P, Henriques de Figueiredo B, Brouste V, Italiano A, Toulmonde M, Le Loarer F, Kind M, The risk of postoperative complications and functional impairment after multimodality treatment for limb and trunk wall soft-tissue sarcoma: long term results from a monocentric series, *European Journal of Surgical Oncology* (2017), doi: 10.1016/j.ejso.2017.01.018.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The risk of postoperative complications and functional impairment after multimodality treatment for limb and trunk wall soft-tissue sarcoma: long term results from a monocentric series

Eberhard Stoeckle¹, MD ; Audrey Michot¹, MD ; Leslie Regal², MSc; Florence Babre³, MD ; Paul Sargos⁴, MD ; Bénédicte Henriques de Figueiredo⁴ MD, Véronique Brouste⁵, MSc; Antoine Italiano⁶, MD, PhD ; Maud Toulmonde⁶ MD ; François Le Loarer⁷ MD, PhD ; Michèle Kind⁸ MD.

¹Department of Surgery, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

²Department of Physiotherapy and Re-education, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

³Department of Anaesthesia and Reanimation, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

⁴Department of Radiotherapy, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

⁵Clinical and Epidemiological Research Unit, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

⁶Department of Medical Oncology, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

⁷Department of Pathology, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

⁸Department of Medical Imaging, Institut Bergonié, 229 cours de l'Argonne, F-33076 Bordeaux, France

Corresponding author: Dr Eberhard Stoeckle, Institut Bergonié, 229 cours de l'Argonne, 33076 Bordeaux, France; Email: e.stoeckle@bordeaux.unicancer.fr

Running title: Morbidity and function after sarcoma surgery

Disclosures: The authors received no financial support for this study.

Download English Version:

<https://daneshyari.com/en/article/5700826>

Download Persian Version:

<https://daneshyari.com/article/5700826>

[Daneshyari.com](https://daneshyari.com)