

# Accepted Manuscript

Total thyroidectomy alone versus ipsilateral versus bilateral prophylactic central neck dissection in clinically node-negative differentiated thyroid cancer. A retrospective multicenter study

Pietro Giorgio Calò, Giovanni Conzo, Marco Raffaelli, Fabio Medas, Claudio Gambardella, Carmela De Crea, Luca Gordini, Renato Patrone, Luca Sessa, Enrico Erdas, Ernesto Tartaglia, Celestino Pio Lombardi

PII: S0748-7983(16)30931-3

DOI: [10.1016/j.ejso.2016.09.017](https://doi.org/10.1016/j.ejso.2016.09.017)

Reference: YEJSO 4487

To appear in: *European Journal of Surgical Oncology*


Received Date: 10 May 2016

Revised Date: 18 July 2016

Accepted Date: 21 September 2016

Please cite this article as: Calò PG, Conzo G, Raffaelli M, Medas F, Gambardella C, De Crea C, Gordini L, Patrone R, Sessa L, Erdas E, Tartaglia E, Lombardi CP, Total thyroidectomy alone versus ipsilateral versus bilateral prophylactic central neck dissection in clinically node-negative differentiated thyroid cancer. A retrospective multicenter study, *European Journal of Surgical Oncology* (2016), doi: [10.1016/j.ejso.2016.09.017](https://doi.org/10.1016/j.ejso.2016.09.017).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Total thyroidectomy alone versus ipsilateral versus bilateral prophylactic central neck dissection in clinically node-negative differentiated thyroid cancer. A retrospective multicenter study

Pietro Giorgio Calò, Giovanni Conzo<sup>a</sup>, Marco Raffaelli<sup>b</sup>, Fabio Medas, Claudio Gambardella<sup>a</sup>, Carmela De Crea<sup>b</sup>, Luca Gordini, Renato Patrone<sup>a</sup>, Luca Sessa<sup>b</sup>, Enrico Erdas, Ernesto Tartaglia<sup>a</sup>, Celestino Pio Lombardi<sup>b</sup>

Department of Surgical Sciences, University of Cagliari, S.S. 554, Bivio Sestu, 09042 Monserrato, Cagliari, Italy

<sup>a</sup>Division of General and Oncologic Surgery, Department of Anesthesiologic, Surgical and Emergency Sciences, Second University of Naples, Via Gen.G.Orsini 42, 80132 Naples, Italy

<sup>b</sup> Division of Endocrine Surgery, Università Cattolica del Sacro Cuore, “Agostino Gemelli” School of Medicine, Rome, Italy

Corresponding author: Pietro Giorgio Calò

Department of Surgical Sciences, University of Cagliari, S.S. 554, Bivio Sestu, 09042 Monserrato, Cagliari, Italy

Phone: 003907051096288

Fax: 00390706753149

Mobile: +393386364356

Mail: [pgcalo@unica.it](mailto:pgcalo@unica.it)

Download English Version:

<https://daneshyari.com/en/article/5701296>

Download Persian Version:

<https://daneshyari.com/article/5701296>

[Daneshyari.com](https://daneshyari.com)