

Accepted Manuscript

Title: Epidemiological hazards of tobacco and its manifestations in oral health of a screened population in Northern India.

Author: Santanu Chaudhuri Somnath Dey Ashish Awasthi



PII: S2213-5383(16)30033-9
DOI: <http://dx.doi.org/doi:10.1016/j.jcpo.2016.12.006>
Reference: JCPO 90

To appear in:

Received date: 19-7-2016
Accepted date: 12-12-2016

Please cite this article as: Santanu Chaudhuri, Somnath Dey, Ashish Awasthi, Epidemiological hazards of tobacco and its manifestations in oral health of a screened population in Northern India., Journal of Cancer Policy <http://dx.doi.org/10.1016/j.jcpo.2016.12.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Epidemiological hazards of tobacco and its manifestations in oral health of a screened population in Northern India.

Authors

1. Dr Santanu Chaudhuri, MD, DNB, Nayati Healthcare and Research Centre, Mathura, UP, India, chaudhurisantanu@hotmail.com,
2. Dr Somnath Dey, MD, DNB, Nayati Healthcare and Research Centre, Mathura, UP, India, drdeysomnath@yahoo.co.in
3. Ashish Awasthi. M.Sc., Nayati Healthcare and Research Centre, Mathura, UP, India, ashish.awasthi15@outlook.com.

Corresponding Author: Dr Santanu Chaudhuri, Nayati Healthcare and Research Centre, Mathura, UP, India 281003, chaudhurisantanu@hotmail.com, +91-8605469780

Highlights

- This study provides important information about the tobacco use and oral ulceration in terms of prevalence and associated factors among the unscreened population of northern India.
- A substantial population of the region, more so in young age group is using tobacco in either form.
- Increasing age, use of alcohol and betel nut were significantly associated with tobacco use

Download English Version:

<https://daneshyari.com/en/article/5701357>

Download Persian Version:

<https://daneshyari.com/article/5701357>

[Daneshyari.com](https://daneshyari.com)