# **Accepted Manuscript**

The role of extent of surgical resection and lymph node assessment for clinical stage I pulmonary lepidic adenocarcinoma: An analysis of 1,991 patients

Morgan L. Cox, MD, Chi-Fu Jeffrey Yang, MD, Paul J. Speicher, MD, Kevin L. Anderson, BS, Zachary W. Fitch, MD, Lin Gu, MS, Robert Patrick Davis, MD, PhD, Xiaofei Wang, PhD, Thomas A. D'Amico, MD, Matthew G. Hartwig, MD, David H. Harpole, Jr., MD, Mark F. Berry, MD

PII: \$1556-0864(17)30004-7

DOI: 10.1016/j.jtho.2017.01.003

Reference: JTHO 471

To appear in: Journal of Thoracic Oncology

Received Date: 21 July 2016

Revised Date: 12 December 2016

Accepted Date: 2 January 2017

Please cite this article as: Cox ML, Yang C-FJ, Speicher PJ, Anderson KL, Fitch ZW, Gu L, Davis RP, Wang X, D'Amico TA, Hartwig MG, Harpole Jr. DH, Berry MF, The role of extent of surgical resection and lymph node assessment for clinical stage I pulmonary lepidic adenocarcinoma: An analysis of 1,991 patients, *Journal of Thoracic Oncology* (2017), doi: 10.1016/j.jtho.2017.01.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

The role of extent of surgical resection and lymph node assessment for clinical stage I pulmonary lepidic adenocarcinoma: An analysis of 1,991 patients

Morgan L Cox, MD<sup>1</sup>; Chi-Fu Jeffrey Yang, MD<sup>1</sup>; Paul J Speicher, MD<sup>1</sup>; Kevin L Anderson, BS<sup>1</sup>; Zachary W Fitch, MD<sup>1</sup>; Lin Gu, MS<sup>2</sup>; Robert Patrick Davis, MD, PhD<sup>1</sup>; Xiaofei Wang, PhD<sup>2</sup>; Thomas A D'Amico, MD<sup>1</sup>; Matthew G Hartwig, MD<sup>1</sup>; David H. Harpole Jr., MD<sup>1</sup>; and Mark F Berry, MD<sup>3</sup>

<sup>1</sup>Department of Surgery and <sup>2</sup>Department of Biostatistics and Bioinformatics;

Duke University Medical Center, Durham, North Carolina; <sup>3</sup>Department of Cardiothoracic

Surgery, Stanford University Medical Center, Stanford, California

#### Correspondence:

Mark F. Berry, MD

300 Pasteur Drive, Falk Cardiovascular Research Institute

Stanford, CA 94305

Phone: 650-721-6400 | Fax: 650-721-6259 | Email: berry037@stanford.edu

#### **Conflict of Interest:**

One of the authors (T.A.D.) serves as a consultant for Scanlan International, Inc.

## **Disclosure of Funding:**

This work was supported by the NIH funded Cardiothoracic Surgery Trials Network (M.G.H.).

### Download English Version:

# https://daneshyari.com/en/article/5701609

Download Persian Version:

https://daneshyari.com/article/5701609

<u>Daneshyari.com</u>