Accepted Manuscript



Retinal exposure to high glucose condition modifies the GABAergic system: Regulation by nitric oxide

R. Carpi-Santos, R.S. Maggesissi, M.P. Von Seehausen, K.C. Calaza

PII: S0014-4835(17)30297-X

DOI: 10.1016/j.exer.2017.07.010

Reference: YEXER 7170

To appear in: *Experimental Eye Research*

Received Date: 19 April 2017

Revised Date: 16 July 2017

Accepted Date: 18 July 2017

Please cite this article as: Carpi-Santos, R., Maggesissi, R.S., Von Seehausen, M.P., Calaza, K.C., Retinal exposure to high glucose condition modifies the GABAergic system: Regulation by nitric oxide, *Experimental Eye Research* (2017), doi: 10.1016/j.exer.2017.07.010.

Retinal exposure to high glucose condition modifies the GABAergic system: regulation by nitric oxide.

Carpi-Santos, R.[1], Maggesissi, R.S.[1], Von Seehausen, M. P.[1], Calaza, K.C.[1].

1 Department of Neurobiology, Neuroscience Program, Institute of Biology, Fluminense Federal University, Niterói, RJ, Brazil

Abbreviated title: high glucose increase GABA content via nitric oxide.

Corresponding author:

Dr. Karin C. Calaza

Neurobiology Department,
Biology Institute
Fluminense Federal University
24020-140, Niterói. Rio de Janeiro, Brasil.
Email: karincalaza@gmail.com