Accepted Manuscript

Torsional stiffness after subtalar arthrodesis using second generation headless compression screws: Biomechanical comparison of 2-screw and 3-screw fixation

Markus Riedl, Richard R. Glisson, Takumi Matsumoto, Stefan G. Hofstaetter, Mark E. Easley

PII: S0268-0033(17)30093-1

DOI: doi: 10.1016/j.clinbiomech.2017.04.004

Reference: JCLB 4314

To appear in: Clinical Biomechanics

Received date: 18 November 2016 Accepted date: 12 April 2017

Please cite this article as: Markus Riedl, Richard R. Glisson, Takumi Matsumoto, Stefan G. Hofstaetter, Mark E. Easley, Torsional stiffness after subtalar arthrodesis using second generation headless compression screws: Biomechanical comparison of 2-screw and 3-screw fixation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Jclb(2017), doi: 10.1016/j.clinbiomech.2017.04.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Torsional stiffness after subtalar arthrodesis using second generation headless compression screws: Biomechanical comparison of 2-screw and 3-screw fixation

Markus Riedl ^{a,1*}, Richard R. Glisson ^b, Takumi Matsumoto ^{a,2}, Stefan G. Hofstaetter, Mark E. Easley ^a

* Markus Riedl (Corresponding author)

Wilhelminen Hospital, Department of Trauma Surgery

Montleartstraße 37

1160 Wien, Austria

e-mail: markusriedl1@gmx.at; markus.riedl@wienkav.at

Takumi Matsumoto

The University of Tokyo, Department of Orthopaedic Surgery

7-3-1 Hongo, Bunkyo-ku

Tokyo 113-0033, Japan

E-mail: matumot-tky@umin.ac.jp

Richard R. Glisson

Duke University Medical Center, Department of Orthopaedic Surgery

P.O. Box 3093

Durham, NC 27710, USA

e-mail: r.r.glisson@duke.edu

Stefan G. Hofstaetter

Hospital Klinikum Wels-Grieskirchen, Department of Orthopaedic Surgery

Grieskirchner Street 42

4600 Wels, AUSTRIA

e-mail: stefan.hofstaetter@klinikum-wegr.at

Mark E. Easley

Duke University Medical Center, Department of Orthopaedic Surgery

4709 Creekstone Drive

Durham, NC 27703, USA

e-mail: mark.e.easley@dm.duke.edu

Word count: Abstract 250, main text 3702.

^a Duke University Medical Center, Department of Orthopaedic Surgery, 4709 Creekstone Drive, Durham, NC, 27703, USA

^b Duke University Medical Center, Department of Orthopaedic Surgery, PO Box 3093, Durham, NC, 27710, USA

¹ Permanent address: Wilhelminen Hospital, Department of Trauma Surgery, Vienna, Austria

² Permanent address: The University of Tokyo, Department of Orthopaedic Surgery, Tokyo, Japan

Download English Version:

https://daneshyari.com/en/article/5707044

Download Persian Version:

https://daneshyari.com/article/5707044

<u>Daneshyari.com</u>