Accepted Manuscript

Intravenous versus oral acetaminophen as an adjunct to multimodal analgesia following total knee arthroplasty: a prospective, randomized, double-blind clinical trial

Jason B. O'Neal, MD, Andrew A. Freiberg, MD, Marc D. Yelle, MD, PhD, Yandong Jiang, MD, PhD, Chengwei Zhang, Yin Gu, Xiangyi Kong, Wenling Jian, Wesley T. O'Neal, MD, MPH, Jingping Wang, MD, PhD

PII: S0883-5403(17)30444-8

DOI: 10.1016/j.arth.2017.05.019

Reference: YARTH 55886

To appear in: The Journal of Arthroplasty

Received Date: 24 January 2017

Revised Date: 5 May 2017

Accepted Date: 10 May 2017

Please cite this article as: O'Neal JB, Freiberg AA, Yelle MD, Jiang Y, Zhang C, Gu Y, Kong X, Jian W, O'Neal WT, Wang J, Intravenous versus oral acetaminophen as an adjunct to multimodal analgesia following total knee arthroplasty: a prospective, randomized, double-blind clinical trial, *The Journal of Arthroplasty* (2017), doi: 10.1016/j.arth.2017.05.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Intravenous versus oral acetaminophen as an adjunct to multimodal analgesia following total knee arthroplasty: a prospective, randomized, double-blind clinical trial

Authors: Jason B. O'Neal, MD^a, Andrew A. Freiberg, MD^b, Marc D. Yelle, MD, PhD^c, Yandong Jiang, MD, PhD^a, Chengwei Zhang^d, Yin Gu^e, Xiangyi Kong^f, Wenling Jian^g, Wesley T. O'Neal, MD, MPH^h, Jingping Wang, MD, PhDⁱ

^aVanderbilt University Medical Center, Department of Anesthesiology, Nashville, TN, USA ^bMassachussetts General Hospital, Harvard Medical School, Department of Orthopedic Surgery, Boston, MA, USA

^cDuke University Medical Center, Department of Anesthesiology, Durham, NC, USA

^dThe Second Hospital, Jilin University, Department of Anesthesiology, Changchun, China

^eShenzhen Maternal & Child Care Hospital, Department of Anesthesia, Shenzhen, Guangdong, China

^fPeking Union Medical College Hospital, Department of Neurosurgery, Beijing, China

^gDepartment of Anesthesiology, The Second Xiangya Hospital, Central South University, Changsha, China

^hEmory University School of Medicine, Department of Medicine, Atlanta, GA, USA

ⁱMassachussetts General Hospital, Harvard Medical School, Department of Anesthesiology, Boston, MA, USA

Corresponding Author: Jingping Wang MD, PhD, ⁱMassachussetts General Hospital, Harvard Medical School, Department of Anesthesiology, Boston, MA, USA. Phone: +1.617.643.2729, Fax: +1.617.724.0702, Email: JWANG23@mgh.harvard.edu

Short Title: Intravenous versus oral acetaminophen in total knee arthroplasty patients

Download English Version:

https://daneshyari.com/en/article/5708567

Download Persian Version:

https://daneshyari.com/article/5708567

<u>Daneshyari.com</u>