Accepted Manuscript



Weight Gain after Primary Total Knee Arthroplasty is Associated with Accelerated Time to Revision for Aseptic Loosening

Chin Tat Lim, Stuart B. Goodman, James I. Huddleston, III, Alex H.S. Harris, Subhrojyoti Bhowmick, William J. Maloney, Derek F. Amanatullah

PII: S0883-5403(17)30126-2

DOI: 10.1016/j.arth.2017.02.026

Reference: YARTH 55669

To appear in: *The Journal of Arthroplasty*

Received Date: 22 December 2016

Revised Date: 8 February 2017

Accepted Date: 9 February 2017

Please cite this article as: Lim CT, Goodman SB, Huddleston III JI, Harris AHS, Bhowmick S, Maloney WJ, Amanatullah DF, Weight Gain after Primary Total Knee Arthroplasty is Associated with Accelerated Time to Revision for Aseptic Loosening, *The Journal of Arthroplasty* (2017), doi: 10.1016/j.arth.2017.02.026.

Weight Gain after Primary Total Knee Arthroplasty is Associated with Accelerated Time to Revision for Aseptic Loosening

Chin Tat Lim[1, 2], Stuart B. Goodman[1], James I. Huddleston III[1], Alex H.S. Harris[1], Subhrojyoti Bhowmick[1], William J. Maloney[1], Derek F. Amanatullah[1]

[1] Department of Orthopaedic Surgery, Stanford University, Stanford, CA

Department of Orthopaedic Surgery, Stanford University School of Medicine, 450 Broadway Street,

Redwood City, CA, USA, 94063

[2] Department of Orthopaedic Surgery, National University Hospital, Singapore

Department of Orthopaedic Surgery, National University Hospital, 1E Kent Ridge Road,

NUHS Tower Block, Level 11

Singapore 119228

Correspondence:

Derek F. Amanatullah MD PhD

Department of Orthopaedic Surgery,

Stanford University School of Medicine,

450 Broadway Street,

Redwood City, CA, USA, 94063

Phone: 01-650-721-7662

Fax: 01-650-721-3470

Email: dfa@stanford.edu