Accepted Manuscript

Efficacy of alendronate for the prevention of bone loss in calcar region following total hip arthroplasty

Yohei Yukizawa, MD, PhD, Yutaka Inaba, MD, PhD, Naomi Kobayashi, MD, PhD, Hyonmin Choe, MD, PhD, So Kubota, MD, Tomoyuki Saito, MD, PhD

PII: S0883-5403(17)30154-7

DOI: 10.1016/j.arth.2017.02.036

Reference: YARTH 55679

To appear in: The Journal of Arthroplasty

Received Date: 10 September 2016

Revised Date: 7 February 2017

Accepted Date: 14 February 2017

Please cite this article as: Yukizawa Y, Inaba Y, Kobayashi N, Choe H, Kubota S, Saito T, Efficacy of alendronate for the prevention of bone loss in calcar region following total hip arthroplasty, *The Journal of Arthroplasty* (2017), doi: 10.1016/j.arth.2017.02.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Efficacy of alendronate for the prevention of bone loss in calcar region

following total hip arthroplasty

Yohei Yukizawa¹ MD, PhD

Yutaka Inaba¹ MD, PhD

Naomi Kobayashi¹ MD, PhD

Hyonmin Choe¹ MD, PhD

So Kubota¹ MD

Tomoyuki Saito¹ MD, PhD

 Department of Orthopaedic Surgery, Yokohama City University Address: 3-9 Fukuura, Kanazawa-ku, Yokohama, Japan Tel: +81-45-787-2655, Fax: +81-45-781-7922

Corresponding author: Yutaka Inaba

Address: 3-9 Fukuura, Kanazawa-ku, Yokohama, Japan

Tel: +81-45-787-2655, Fax: +81-45-781-7922

Email: yute0131@med.yokohama-cu.ac.jp

Download English Version:

https://daneshyari.com/en/article/5708642

Download Persian Version:

https://daneshyari.com/article/5708642

Daneshyari.com