Accepted Manuscript

Postoperative Pain Management Following Primary Total Knee Arthroplasty: The Value of Liposomal Bupivacaine

Scott M. Sporer, M.D., Co- Director Joint Replacement Institute, Associate Professor Orthopaedics, Thea Rogers, Data Analyst

PII: S0883-5403(16)30149-8

DOI: 10.1016/j.arth.2016.05.012

Reference: YARTH 55176

To appear in: The Journal of Arthroplasty

Received Date: 5 January 2016

Revised Date: 24 April 2016

Accepted Date: 2 May 2016

Please cite this article as: Sporer SM, Rogers T, Postoperative Pain Management Following Primary Total Knee Arthroplasty: The Value of Liposomal Bupivacaine, *The Journal of Arthroplasty* (2016), doi: 10.1016/j.arth.2016.05.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Postoperative Pain Management Following Primary Total Knee Arthroplasty: The Value of Liposomal Bupivacaine

Investigation performed at Northwestern Medicine Central DuPage Hospital

25 N. Winfield Road

Winfield, Illinois 60190

Scott M. Sporer, M.D.

Co- Director Joint Replacement Institute

Northwestern Medicine Central DuPage Hospital

Associate Professor Orthopaedics RUSH University Medical Center

Thea Rogers

Data Analyst

Northwestern Medicine Central DuPage Hospital

Corresponding Authors: Scott M. Sporer e-mail: scottsporer@gmail.com Download English Version:

https://daneshyari.com/en/article/5708977

Download Persian Version:

https://daneshyari.com/article/5708977

Daneshyari.com