


Accepted Manuscript

Sensitivity and Specificity of Metal Ion Levels in Predicting “Pseudotumours” due to Taper Corrosion in Patients with Dual Taper Modular Total Hip Arthroplasty

Young-Min Kwon, MD PhD, Tsung-Yuan Tsai, PhD, William A. Leone, MD, Ming Han Lincoln Liow, MD



PII: S0883-5403(16)30650-7

DOI: [10.1016/j.arth.2016.08.040](https://doi.org/10.1016/j.arth.2016.08.040)

Reference: YARTH 55399

To appear in: *The Journal of Arthroplasty*

Received Date: 2 June 2016

Revised Date: 28 August 2016

Accepted Date: 29 August 2016

Please cite this article as: Kwon Y-M, Tsai T-Y, Leone WA, Liow MHL, Sensitivity and Specificity of Metal Ion Levels in Predicting “Pseudotumours” due to Taper Corrosion in Patients with Dual Taper Modular Total Hip Arthroplasty, *The Journal of Arthroplasty* (2016), doi: 10.1016/j.arth.2016.08.040.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Sensitivity and Specificity of Metal Ion Levels in Predicting “Pseudotumours” due to Taper Corrosion in Patients with Dual Taper Modular Total Hip Arthroplasty

Young-Min Kwon MD PhD*
Tsung-Yuan Tsai PhD
William A. Leone MD
Ming Han Lincoln Liow MD

*Investigation performed at the
Center for Metal-on-Metal Hips Evaluation and Treatment,
Massachusetts General Hospital*

Department of Orthopaedic Surgery
Massachusetts General Hospital, Harvard Medical School
Boston, MA 02114, USA

Word Count: 3,035

Funding: Nil

Conflict of Interest Disclosure: The authors of this manuscript have nothing to disclose that would bias our work.

*Corresponding Author:

Young-Min Kwon, MD PhD
Department of Orthopaedic Surgery
Massachusetts General Hospital
Harvard Medical School
Boston, MA 02114, USA

Phone: 617-643-7436

Fax: 617-726-8770

Email: ymkwon@mgh.harvard.edu

Download English Version:

<https://daneshyari.com/en/article/5709226>

Download Persian Version:

<https://daneshyari.com/article/5709226>

[Daneshyari.com](https://daneshyari.com)