

Accepted Manuscript

Alumina Delta-on-Highly Crosslinked-Remelted Polyethylene Bearing in Cementless Total Hip Arthroplasty in Patients Younger than 50 Years

Young-Hoo Kim, MD, Jang-Won Park, MD, Jun-Shik Kim, MD



PII: S0883-5403(16)30158-9

DOI: [10.1016/j.arth.2016.05.020](https://doi.org/10.1016/j.arth.2016.05.020)

Reference: YARTH 55184

To appear in: *The Journal of Arthroplasty*

Received Date: 7 March 2016

Revised Date: 9 May 2016

Accepted Date: 9 May 2016

Please cite this article as: Kim Y-H, Park J-W, Kim J-S, Alumina Delta-on-Highly Crosslinked-Remelted Polyethylene Bearing in Cementless Total Hip Arthroplasty in Patients Younger than 50 Years, *The Journal of Arthroplasty* (2016), doi: 10.1016/j.arth.2016.05.020.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Alumina Delta-on-Highly Crosslinked-Remelted Polyethylene Bearing in
Cementless Total Hip Arthroplasty in Patients Younger than 50 Years**

Short Title: Alumina Delta-on-Highly Crosslinked Polyethylene

Young-Hoo Kim*, MD, Jang-Won Park, MD**

and Jun-Shik Kim, MD**

**The Joint Replacement Centers, Ewha Womans University,
SeoNam* and MokDong Hospitals** Seoul, Republic of Korea**

Correspondenc should be sent to

Jun-Shik Kim, MD
The Joint Replacement Center
Ewha Womans University
MokDong Hospital,
911-1, MokDong, YangChun-Ku,
Seoul 158-710, Republic of Korea
Tel: (822) 6300-9185
E-mail: kjsos@ewha.ac.kr

Download English Version:

<https://daneshyari.com/en/article/5709419>

Download Persian Version:

<https://daneshyari.com/article/5709419>

[Daneshyari.com](https://daneshyari.com)