

Accepted Manuscript

Title: The safety, efficacy and cost-effectiveness of intraoperative cell-salvage in metastatic spine tumour surgery

Author: Mahmoud Elmalky, Naveed Yasin, Ricardo Rodrigues-Pinto, John Stephenson, Craig Carroll, Glyn Smurthwaite, Rajat Verma, Saeed Mohammad, Irfan Siddique



PII: S1529-9430(17)30091-8
DOI: <http://dx.doi.org/doi: 10.1016/j.spinee.2017.03.004>
Reference: SPINEE 57258

To appear in: *The Spine Journal*

Received date: 30-6-2016
Revised date: 9-2-2017
Accepted date: 15-3-2017

Please cite this article as: Mahmoud Elmalky, Naveed Yasin, Ricardo Rodrigues-Pinto, John Stephenson, Craig Carroll, Glyn Smurthwaite, Rajat Verma, Saeed Mohammad, Irfan Siddique, The safety, efficacy and cost-effectiveness of intraoperative cell-salvage in metastatic spine tumour surgery, *The Spine Journal* (2017), <http://dx.doi.org/doi: 10.1016/j.spinee.2017.03.004>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: The safety, efficacy and cost-effectiveness of intraoperative cell-salvage in metastatic spine tumour surgery

Authors: Mahmoud Elmalky^{1,4}, MD (Tr & Orth); Naveed Yasin¹, FRCS (Tr & Orth); Ricardo Rodrigues-Pinto^{1,2}, MD, PhD; John Stephenson³, PhD CMath MIMA FRSS; Craig Carroll¹, FRCA; Glyn Smurthwaite¹, FRCA; Rajat Verma¹, FRCS (Tr & Orth); Saeed Mohammad¹, FRCS (Tr & Orth); Irfan Siddique¹, FRCS (Tr & Orth)

Institutions:

- 1) Department of Spinal Surgery
Salford Royal Hospital NHS Foundation Trust
Stott Lane, Lancashire, M6 8HD
United Kingdom
- 2) Department of Orthopaedics
Centro Hospitalar do Porto – Hospital de Santo António
Largo Prof. Abel Salazar
4099-001 Porto
Portugal
- 3) School of Human and Health Sciences
University of Huddersfield, Queensgate
Huddersfield HD1 3DH
United Kingdom
- 4) Department of Orthopaedics
Menoufia University,
Shibin Al Kawm
Egypt

Corresponding author:

Mr. Mahmoud Elmalky
Department of Spinal Surgery
Salford Royal Hospital NHS Foundation Trust
Stott Lane, Lancashire, M6 8HD
United Kingdom
mah_elmalky@yahoo.com
Tel: 00447450277337

ABSTRACT

Background context: Metastatic spine tumour surgery (MSTS) is associated with substantial blood loss therefore leading to high morbidity and mortality. While intraoperative cell salvage with leucocyte depletion filter (IOCS-LDF) has been studied as an effective mean of reducing blood loss in other surgical settings, including the spine, no study has yet analysed the efficacy of re-infusion of

Download English Version:

<https://daneshyari.com/en/article/5713076>

Download Persian Version:

<https://daneshyari.com/article/5713076>

[Daneshyari.com](https://daneshyari.com)