Accepted Manuscript

Reduced post-tonsillectomy bleeding rates through a refined technique

Kent Burton, Stephanie Hanke, Anil Gungor


PII: S0196-0709(17)30016-9

DOI: doi: 10.1016/j.amjoto.2017.01.037


Reference: YAJOT 1841

To appear in:

Received date: 17 January 2017



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Reduced Post-tonsillectomy bleeding rates through a refined technique.

Kent Burton MD¹, Stephanie Hanke BS¹, Anil Gungor MD¹

¹Department Otolaryngology-Head and Neck Surgery, Louisiana State University Health

Sciences Center- Shreveport, Shreveport, Louisiana, USA¹

The authors have no funding, financial relationships, or conflicts of interest to disclose.

Send correspondence, reprint requests, and proofs to Kent Burton, MD, Louisiana State University Health Sciences Center-Shreveport Department of Otolaryngology, 1501 Kings Highway, P.O. Box 33932, Shreveport, LA 71130. E-mail: kburt2@lsuhsch.edu.

Phone: 205-344-0348, Fax: 318-675-6264

Download English Version:

https://daneshyari.com/en/article/5713632

Download Persian Version:

https://daneshyari.com/article/5713632

<u>Daneshyari.com</u>