

Research report

High-potential defense mechanisms of neocortex in a rat model of transient asphyxia induced cardiac arrest

Gerburg Keilhoff, Torben Esser, Maximilian Titze, Uwe Ebmeyer, Lorenz Schild

PII: S0006-8993(17)30354-2
DOI: http://dx.doi.org/10.1016/j.brainres.2017.08.018
Reference: BRES 45460

To appear in: *Brain Research*

Received Date: 7 June 2017
Revised Date: 24 July 2017
Accepted Date: 14 August 2017

Please cite this article as: G. Keilhoff, T. Esser, M. Titze, U. Ebmeyer, L. Schild, High-potential defense mechanisms of neocortex in a rat model of transient asphyxia induced cardiac arrest, *Brain Research* (2017), doi: http://dx.doi.org/10.1016/j.brainres.2017.08.018

High-potential defense mechanisms of neocortex in a rat model of transient asphyxia induced cardiac arrest

Gerburg Keilhoff, Institute of Biochemistry and Cell Biology, Medical Faculty, University of Magdeburg, Magdeburg, Germany

Torben Esser, Department of Anesthesiology, Medical Faculty, University of Magdeburg, Magdeburg, Germany

Maximilian Titze, Institute of Biochemistry and Cell Biology, Medical Faculty, University of Magdeburg, Magdeburg, Germany

Uwe Ebmeyer, Department of Anesthesiology, Medical Faculty, University of Magdeburg, Magdeburg, Germany

Lorenz Schild, Department of Pathological Biochemistry, Medical Faculty, University of Magdeburg, Magdeburg, Germany

Corresponding author:

Gerburg Keilhoff
Institute of Biochemistry and Cell Biology, Medical Faculty, University of Magdeburg,
Leipziger Strasse 44, Haus 1
39120 Magdeburg
Germany
Phone: +49 396 67 14368
Fax: +49 396 67 14365
e-mail: gerburg.keilhoff@med.ovgu.de

Key words

Asphyxial cardiac arrest, cardiolipin, mitochondria, MnSOD, NOS, NOX