

## Accepted Manuscript

Distinctive features of Phox2b-expressing neurons in the rat reticular formation dorsal to the trigeminal motor nucleus

Kouta Nagoya, Shiro Nakamura, Keiko Ikeda, Hiroshi Onimaru, Atsushi Yoshida, Kiyomi Nakayama, Ayako Mochizuki, Masaaki Kiyomoto, Fumihiko Sato, Kiyoshi Kawakami, Koji Takahashi, Tomio Inoue


PII: S0306-4522(17)30440-2  
DOI: <http://dx.doi.org/10.1016/j.neuroscience.2017.06.035>  
Reference: NSC 17847

To appear in: *Neuroscience*

Received Date: 6 March 2017  
Revised Date: 3 June 2017  
Accepted Date: 21 June 2017

Please cite this article as: K. Nagoya, S. Nakamura, K. Ikeda, H. Onimaru, A. Yoshida, K. Nakayama, A. Mochizuki, M. Kiyomoto, F. Sato, K. Kawakami, K. Takahashi, T. Inoue, Distinctive features of Phox2b-expressing neurons in the rat reticular formation dorsal to the trigeminal motor nucleus, *Neuroscience* (2017), doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.06.035>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Distinctive features of Phox2b-expressing neurons in the rat reticular formation dorsal to the trigeminal motor nucleus**

Kouta Nagoya<sup>a, b</sup>, Shiro Nakamura<sup>a\*</sup>, Keiko Ikeda<sup>c</sup>, Hiroshi Onimaru<sup>d</sup>, Atsushi Yoshida<sup>e</sup>, Kiyomi Nakayama<sup>a</sup>, Ayako Mochizuki<sup>a</sup>, Masaaki Kiyomoto<sup>a</sup>, Fumihiko Sato<sup>e</sup>, Kiyoshi Kawakami<sup>f</sup>, Koji Takahashi<sup>b</sup>, Tomio Inoue<sup>a</sup>

<sup>a</sup>*Department of Oral Physiology, Showa University School of Dentistry, 1-5-8 Hatanodai, Shinagawa-ku, Tokyo 142-8555, Japan*

<sup>b</sup>*Division of Oral Rehabilitation Medicine, Department of Special Needs Dentistry, Showa University School of Dentistry, 2-2-1 Kitasenzoku, Ota-ku, Tokyo 145-8515, Japan*

<sup>c</sup>*Division of Biology, Hyogo College of Medicine, 1-1 Mukogawa-cho, Nishinomiya, Hyogo, 663-8501, Japan*

<sup>d</sup>*Department of Physiology, Showa University School of Medicine, 1-5-8 Hatanodai, Shinagawa-ku, Tokyo 142-8555, Japan*

<sup>e</sup>*Department of Oral Anatomy and Neurobiology, Osaka University Graduate School of Dentistry, 1-8, Yamada-Oka, Suita, Osaka 565-0871, Japan*

<sup>f</sup>*Division of Biology, Center for Molecular Medicine, Jichi Medical University, 3311-1 Yakushiji, Shimotsuke, Tochigi 329-0498, Japan*

**Running title:** *Phox2b* neurons in the region dorsal to the trigeminal motor nucleus

**\*Corresponding author:**

Shiro Nakamura, D.D.S., Ph.D.

Department of Oral Physiology, Showa University School of Dentistry, 1-5-8 Hatanodai, Shinagawa-ku, Tokyo 142-8555, Japan

Phone: +81-3-3784-8160; Fax: +81-3-3784-8161

E-mail: [snaka@dent.showa-u.ac.jp](mailto:snaka@dent.showa-u.ac.jp)

Download English Version:

<https://daneshyari.com/en/article/5737635>

Download Persian Version:

<https://daneshyari.com/article/5737635>

[Daneshyari.com](https://daneshyari.com)