Accepted Manuscript



Morphine responsiveness to thermal pain stimuli is aging-associated and mediated by Dopamine D1 and D3 receptor interactions

Sophia Samir, Alexander P. Yllanes, Perrine Lallemand, Kori L. Brewer, Stefan Clemens

PII: S0306-4522(17)30125-2
DOI: http://dx.doi.org/10.1016/j.neuroscience.2017.02.042
Reference: NSC 17631

To appear in: *Neuroscience*

Received Date: 10 August 2016
Revised Date: 16 January 2017
Accepted Date: 20 February 2017

Please cite this article as: S. Samir, A.P. Yllanes, P. Lallemand, K.L. Brewer, S. Clemens, Morphine responsiveness to thermal pain stimuli is aging-associated and mediated by Dopamine D1 and D3 receptor interactions, *Neuroscience* (2017), doi: http://dx.doi.org/10.1016/j.neuroscience.2017.02.042

Morphine responsiveness to thermal pain stimuli is aging-associated and mediated by Dopamine D1 and D3 receptor interactions

Sophia Samir, Alexander P. Yllanes, Perrine Lallemand, Kori L. Brewer, Stefan Clemens

Department of Physiology
Brody School of Medicine
East Carolina University, Greenville, NC

Corresponding author:

S. Clemens, PhD
Department of Physiology
Brody School of Medicine
East Carolina University
600 Moye Boulevard 6N-98
Greenville, NC, 27834

email: clemenss@ecu.edu
phone: 252-744-2920
Fax: 252-744-3460