


Accepted Manuscript

Title: Inhibition of the lateral habenular CaMKII abolishes naloxone-precipitated conditioned place aversion in morphine-dependent mice

Authors: Jing Wang, Min Li, Ping Wang, Yunhong Zha, Zhi He, Zicheng Li



PII: S0304-3940(17)30415-9
DOI: <http://dx.doi.org/doi:10.1016/j.neulet.2017.05.027>
Reference: NSL 32834

To appear in: *Neuroscience Letters*

Received date: 15-2-2017
Revised date: 30-4-2017
Accepted date: 15-5-2017

Please cite this article as: Jing Wang, Min Li, Ping Wang, Yunhong Zha, Zhi He, Zicheng Li, Inhibition of the lateral habenular CaMKII abolishes naloxone-precipitated conditioned place aversion in morphine-dependent mice, *Neuroscience Letters* <http://dx.doi.org/10.1016/j.neulet.2017.05.027>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Intra-lateral habenula administration of TTX abolished naloxone-precipitated CPA in morphine-dependent mice.
- Intra-lateral habenula administration of KN-62 abolished naloxone-precipitated CPA in morphine-dependent mice.
- Chronic morphine treatment resulted in overexpression of CaMK II in the lateral habenula.

Download English Version:

<https://daneshyari.com/en/article/5738109>

Download Persian Version:

<https://daneshyari.com/article/5738109>

[Daneshyari.com](https://daneshyari.com)