


Accepted Manuscript

Title: Functional magnetic resonance imaging investigation of brain regions associated with astringency

Authors: Mayo Kishi, Hidetoshi Sadachi, Junji Nakamura, Mitsuo Tonoike



PII: S0168-0102(17)30190-6
DOI: <http://dx.doi.org/doi:10.1016/j.neures.2017.03.009>
Reference: NSR 4028

To appear in: *Neuroscience Research*

Received date: 8-9-2016
Revised date: 14-3-2017
Accepted date: 29-3-2017

Please cite this article as: Kishi, Mayo, Sadachi, Hidetoshi, Nakamura, Junji, Tonoike, Mitsuo, Functional magnetic resonance imaging investigation of brain regions associated with astringency. *Neuroscience Research* <http://dx.doi.org/10.1016/j.neures.2017.03.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Functional magnetic resonance imaging investigation of brain regions associated with astringency

Abbreviated title: Brain regions associated with astringency

Mayo Kishi^{a*}, Hidetoshi Sadachi^a, Junji Nakamura^a, Mitsuo Tonoike^b

^aKansei Science Research Laboratory, Kao Corporation, 5-3-28, Kotobukicho, Odawara, Kanagawa 250-0002, Japan

^bFaculty of Health Science, AINO University, 4-5-4, Higashioda, Ibaraki, Osaka 567-0012, Japan

***Corresponding author:**

Mayo Kishi

Kansei Science Research Laboratory

Kao Corporation

Tel: +81-465-34-8941; Fax: +81-465-40-4993

Email: kishi.mayo@kao.co.jp

Co-author details:

Download English Version:

<https://daneshyari.com/en/article/5739032>

Download Persian Version:

<https://daneshyari.com/article/5739032>

[Daneshyari.com](https://daneshyari.com)