

Accepted Manuscript

Electro-acoustic Pitch Matching Experiments in Patients with Single-Sided Deafness and a Cochlear Implant *Is there a need for adjustment of the default frequency allocation tables?*

Jeroen P.M. Peters, M.D, Edwin Bennink, Wilko Grolman, Gijsbert A. van Zanten



PII: S0378-5955(16)30390-2

DOI: [10.1016/j.heares.2016.10.009](https://doi.org/10.1016/j.heares.2016.10.009)

Reference: HEARES 7244

To appear in: *Hearing Research*

Received Date: 26 August 2016

Revised Date: 7 October 2016

Accepted Date: 15 October 2016

Please cite this article as: Peters, J.P.M., Bennink, E., Grolman, W., van Zanten, G.A., Electro-acoustic Pitch Matching Experiments in Patients with Single-Sided Deafness and a Cochlear Implant *Is there a need for adjustment of the default frequency allocation tables?*, *Hearing Research* (2016), doi: 10.1016/j.heares.2016.10.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Electro-acoustic Pitch Matching Experiments in Patients with Single-Sided Deafness and a Cochlear Implant

Is there a need for adjustment of the default frequency allocation tables?

Authors

Jeroen P.M. Peters^{1,2}, Edwin Bennink³, Wilko Grolman^{1,2}, Gijsbert A. van Zanten^{1,2}

Authors' Affiliations

¹ Department of Otorhinolaryngology and Head & Neck Surgery, University Medical Center Utrecht, Utrecht, The Netherlands;

² Brain Center Rudolf Magnus, University Medical Center Utrecht, Utrecht, The Netherlands;

³ Image Sciences Institute, University Medical Center Utrecht, Utrecht, The Netherlands.

Authors' Contributions:

JPMP: conception and design, acquisition of data, analysis and interpretation of data, drafting the article and revising it critically for important intellectual content, final approval of the version to be submitted.

EB: acquisition of data, analysis and interpretation of data, revising the article critically for important intellectual content, final approval of the version to be submitted.

WG: conception and design, revising the article critically for important intellectual content, final approval of the version to be submitted, principal investigator.

GAvZ: conception and design, analysis and interpretation of data, revising the article critically for important intellectual content, final approval of the version to be submitted.

Corresponding author (postal addresses of all authors the same as address listed below)

Jeroen P.M. Peters, M.D.

Download English Version:

<https://daneshyari.com/en/article/5739428>

Download Persian Version:

<https://daneshyari.com/article/5739428>

[Daneshyari.com](https://daneshyari.com)