

Keyword index

1

1-Aminocyclopropane-1-carboxylate (ACC) deaminase – Detection of biosynthetic gene and phytohormone production by endophytic actinobacteria associated with *Solanum lycopersicum* and their plant-growth-promoting effect, 692

1,2,4-Triazole-ciprofloxacin hybrid – Inhibitory effect of 1,2,4-triazole-ciprofloxacin hybrids on *Haemophilus parainfluenzae* and *Haemophilus influenzae* biofilm formation in vitro under stationary conditions, 647

5

⁵¹V NMR – ⁵¹V NMR investigation of cell-associated vanadate species in *Phycomyces blakesleeanus* mycelium, 521

A

Abundance – Occurrence of *Stenotrophomonas maltophilia* in agricultural soils and antibiotic resistance properties, 313

Acanthamoeba castellanii – DVC-FISH and PMA-qPCR techniques to assess the survival of *Helicobacter pylori* inside *Acanthamoeba castellanii*, 29

Acetobacter – Characterization of newly identified DnaA and DnaB proteins from *Acetobacter*, 655

Acid stress – Life in heaps: a review of microbial responses to variable acidity in sulfide mineral bioleaching heaps for metal extraction, 576

Acid tolerance – The arginine deiminase system facilitates environmental adaptability of *Streptococcus equi* ssp. *zooepidemicus* through pH adjustment, 403 – Metabolic parameters linked by phenotype microarray to acid resistance profiles of poultry-associated *Salmonella enterica*, 745

Acidianus – Saline-water bioleaching of chalcophyrite with thermophilic, iron(II)- and sulfur-oxidizing microorganisms, 546

***Acidianus* spp.** – Biofilm formation and interspecies interactions in mixed cultures of thermo-acidophilic archaea *Acidianus* spp. and *Sulfolobus metallicus*, 604

Acidibacillus – Isolation and characterisation of mineral-oxidising “*Acidibacillus*” spp. from mine sites and geothermal environments in different global locations, 613

Acidithiobacillus ferrooxidans – Comparative proteomics of *Acidithiobacillus ferrooxidans* grown in the presence and absence of uranium, 234 – Are there multiple mechanisms of anaerobic sulfur oxidation with ferric iron in *Acidithiobacillus ferrooxidans*?, 357 – Comparative proteomic analysis of sulfur-oxidizing *Acidithiobacillus ferrooxidans* CCM 4253 cultures having lost the ability to couple anaerobic elemental sulfur oxidation with ferric iron reduction, 587

Acidithiobacillus – Detection, identification and typing of *Acidithiobacillus* species and strains: a review, 555

Acidophile – Comparative proteomics of *Acidithiobacillus ferrooxidans* grown in the presence and absence of uranium, 234 – Genomic and metagenomic challenges and opportunities for bioleaching: a mini-review, 529 – Detection, identification and typing of *Acidithiobacillus* species and strains: a review, 555 – Electricity generation from an inorganic sulfur compound containing mining wastewater by acidophilic microorganisms, 568 – Life in heaps: a review of microbial responses to variable acidity in sulfide mineral bioleaching heaps for metal extraction, 576 – Microbial community profiling of the Chinoike Jigoku (“Blood Pond Hell”) hot spring in Beppu, Japan: isolation and characterization of Fe(III)-reducing *Sulfolobus* sp. strain GA1, 595 – Isolation and characterisation of mineral-oxidising “*Acidibacillus*” spp. from mine sites and geothermal environments in different global locations, 613

Actinobacteria – Codon usage bias in phylum *Actinobacteria*: relevance to environmental adaptation and host pathogenicity, 669

Adaptation – Alternative scenarios of starvation-induced adaptation in *Pectobacterium atrosepticum*, 254

Aerobic growth conditions – H₂ production in *Rhodospseudomonas palustris* as a way to cope with high light intensities, 350

Aerobic/anaerobic – A discrete role for FNR in the transcriptional response to moderate changes in oxygen by *Haemophilus influenzae* Rd KW20, 103

Alps – Spatial and temporal variability of bacterial communities in high alpine water spring sediments, 325

Ammonia – The arginine deiminase system facilitates environmental adaptability of *Streptococcus equi* ssp. *zooepidemicus* through pH adjustment, 403

Anaerobic growth conditions – H₂ production in *Rhodospseudomonas palustris* as a way to cope with high light intensities, 350

Anaerobic respiration pathway – Are there multiple mechanisms of anaerobic sulfur oxidation with ferric iron in *Acidithiobacillus ferrooxidans*?, 357 – Comparative proteomic analysis of sulfur-oxidizing *Acidithiobacillus ferrooxidans* CCM 4253 cultures having lost the ability to couple anaerobic elemental sulfur oxidation with ferric iron reduction, 587

Antagonistic traits, PGP – Detection of biosynthetic gene and phytohormone production by endophytic actinobacteria associated with *Solanum lycopersicum* and their plant-growth-promoting effect, 692

Anthranilate – *Burkholderia pseudomallei* *kynB* plays a role in AQ production, biofilm formation, bacterial swarming and persistence, 159

Anti-biofilm and anti-adhesive activity – Inhibitory effect of 1,2,4-triazole-ciprofloxacin hybrids on *Haemophilus parainfluenzae* and *Haemophilus influenzae* biofilm formation in vitro under stationary conditions, 647

Antibiotic – The cyclic AMP receptor protein (CRP) regulates *mqsRA*, coding for the bacterial toxin-antitoxin gene pair, in *Escherichia coli*, 58 – Improved in vitro evaluation of novel antimicrobials: potential synergy between human plasma and antibacterial peptidomimetics, AMPs and antibiotics against human pathogenic bacteria, 72 – Significant antibacterial activity and synergistic effects of camel lactoferrin with antibiotics against methicillin-resistant *Staphylococcus aureus* (MRSA), 480

Antibiotic resistance – Occurrence of *Stenotrophomonas maltophilia* in agricultural soils and antibiotic resistance properties, 313 – Use of phenotype microarrays to study the effect of acquisition of resistance to antimicrobials in bacterial physiology, 723

Antibiotic tolerance – *Burkholderia pseudomallei* *kynB* plays a role in AQ production, biofilm formation, bacterial swarming and persistence, 159

Antifungal activity – A rifampicin-resistant (*rpoB*) mutation in *Pseudomonas protegens* Pf-5 strain leads to improved antifungal activity and elevated production of secondary metabolites, 625

Antifungal lipopeptides – The Tunisian oasis ecosystem is a source of antagonistic *Bacillus* spp. producing diverse antifungal lipopeptides, 46

Antimicrobial compounds – Novel components of leaf bacterial communities of field-grown tomato plants and their potential for plant growth promotion and biocontrol of tomato diseases, 222 – Antimicrobial compounds from endophytic *Streptomyces* sp. BCC72023 isolated from rice (*Oryza sativa* L.), 290 – The antimicrobial potential of algicolous marine fungi for counteracting multidrug-resistant bacteria: phylogenetic diversity and chemical profiling, 492

Antimicrobial peptide – Improved in vitro evaluation of novel antimicrobials: potential synergy between human plasma and antibacterial peptidomimetics, AMPs and antibiotics against human pathogenic bacteria, 72 – Expression of essential genes for biosynthesis of antimicrobial peptides of *Bacillus* is modulated by inactivated cells of target microorganisms, 83 – Insights into aureocin A70 regulation: participation of regulator AurR, alternative transcription factor σ^B and phage $\phi 11$ regulator cI, 90

Arginine – The arginine deiminase system facilitates environmental adaptability of *Streptococcus equi* ssp. *zooepidemicus* through pH adjustment, 403

Arginine deiminase system – The arginine deiminase system facilitates environmental adaptability of *Streptococcus equi* ssp. *zooepidemicus* through pH adjustment, 403

ARISA – Spatial and temporal variability of bacterial communities in high alpine water spring sediments, 325

Artworks – Connecting phenome to genome in *Pseudomonas stutzeri* 5190: an artwork biocleaning bacterium, 757

Atopobium – A DNA tool for early detection of vaginal dysbiosis in African women, 133

ATP binding – The Walker A motif mutation *recA4159* abolishes the SOS response and recombination in a *recA730* mutant of *Escherichia coli*, 462

Auxiliary proteins – Efficient respiration on TMAO requires TorD and TorE auxiliary proteins in *Shewanella oneidensis*, 630

Azospirillum – Influence of tryptophan and indole-3-acetic acid on starch accumulation in the synthetic mutualistic *Chlorella sorokiniana*–*Azospirillum brasilense* system under heterotrophic conditions, 367

Azospirillum brasilense – The cyclic-di-GMP diguanylate cyclase CdgA has a role in biofilm formation and exopolysaccharide production in *Azospirillum brasilense*, 190

B

Bacillus – The Tunisian oasis ecosystem is a source of antagonistic *Bacillus* spp. producing diverse antifungal lipopeptides, 46 – Expression of essential genes for biosynthesis of antimicrobial peptides of *Bacillus* is modulated by inactivated cells of target microorganisms, 83

Bacillus licheniformis WX-02 – Construction and analysis of a genome-scale metabolic network for *Bacillus licheniformis* WX-02, 282

Bacillus subtilis – Mismatch repair in Gram-positive bacteria, 4 – Septal localization by membrane targeting sequences and a conserved sequence essential for activity at the COOH-terminus of *Bacillus subtilis* cardiolipin synthase, 202 – Influence of promoters on the production of fengycin in *Bacillus* spp., 272

Bacteria – Spatial and temporal variability of bacterial communities in high alpine water spring sediments, 325

Bacterial metabolism – Identification and differential production of ubiquinone-8 in the bacterial predator *Bdellovibrio bacteriovorus*, 413

Bacterial vaginosis – A DNA tool for early detection of vaginal dysbiosis in African women, 133

Bacterial virulence – Use of phenotype microarrays to study the effect of acquisition of resistance to antimicrobials in bacterial physiology, 723

Bacteriocin – Insights into aureocin A70 regulation: participation of regulator AurR, alternative transcription factor σ^B and phage $\phi 11$ regulator cI, 90 – A *ptsP* deficiency in PGPR *Pseudomonas fluorescens* SF39a affects bacteriocin production and bacterial fitness in the wheat rhizosphere, 178

Bacteriophage – Propagation method for persistent high yield of diverse *Listeria* phages on permissive hosts at refrigeration temperatures, 685

Bioactive fungal compounds – The antimicrobial potential of algicolous marine fungi for counteracting multidrug-resistant bacteria: phylogenetic diversity and chemical profiling, 492

Biocides – Use of phenotype microarrays to study the effect of acquisition of resistance to antimicrobials in bacterial physiology, 723

Biocleaning – Connecting phenome to genome in *Pseudomonas stutzeri* 5190: an artwork biocleaning bacterium, 757

Biocontrol – Novel components of leaf bacterial communities of field-grown tomato plants and their potential for plant growth promotion and biocontrol of tomato diseases, 222

Biodegradation – Separating and characterizing functional alkane degraders from crude-oil-contaminated sites via magnetic nanoparticle-mediated isolation, 731

Biofilm – Construction and phenotypic characterization of M68, an RruI quorum sensing knockout mutant of the photosynthetic alphaproteobacterium *Rhodospirillum rubrum*, 380 – A dual-species microbial model for studying the dynamics between oral streptococci and periodontal pathogens during biofilm development on titanium surfaces by flow cytometry, 393 – Biofilm formation and interspecies interactions in mixed cultures of thermo-acidophilic archaea *Acidianus* spp. and *Sulfolobus metallicus*, 604

Biofilm production – The cyclic-di-GMP diguanylate cyclase CdgA has a role in biofilm formation and exopolysaccharide production in *Azospirillum brasilense*, 190

Biohydrometallurgy – Lessons learned from thirty years of geomicrobiological studies of Río Tinto, 539

Bioinformatics – Genomic and metagenomic challenges and opportunities for bioleaching: a mini-review, 529

Bioleaching – Genomic and metagenomic challenges and opportunities for bioleaching: a mini-review, 529 – Detection, identification and typing of *Acidithiobacillus* species and strains: a review, 555

BIOLOG PM plate – Separating and characterizing functional alkane degraders from crude-oil-contaminated sites via magnetic nanoparticle-mediated isolation, 731

Biological control – The Tunisian oasis ecosystem is a source of antagonistic *Bacillus* spp. producing diverse antifungal lipopeptides, 46 – Expression of essential genes for biosynthesis of antimicrobial peptides of *Bacillus* is modulated by inactivated cells of target microorganisms, 83

Biomineral – Genomic and metagenomic challenges and opportunities for bioleaching: a mini-review, 529

Biotechnology – Propagation method for persistent high yield of diverse *Listeria* phages on permissive hosts at refrigeration temperatures, 685

Download English Version:

<https://daneshyari.com/en/article/5739759>

Download Persian Version:

<https://daneshyari.com/article/5739759>

[Daneshyari.com](https://daneshyari.com)