

# Accepted Manuscript

Thiamethoxam and picoxystrobin reduce the survival and overload the hepato-nephrocitic system of the Africanized honeybee

Caio E.C. Domingues, Fábio Camargo Abdalla, Paulo José Balsamo, Beatriz V.R. Pereira, Moema de Alencar Hausen, Monica Jones Costa, Elaine C.M. Silva-Zacarin



PII: S0045-6535(17)31184-0

DOI: [10.1016/j.chemosphere.2017.07.133](https://doi.org/10.1016/j.chemosphere.2017.07.133)

Reference: CHEM 19666

To appear in: *ECSN*

















Received Date: 28 April 2017

Revised Date: 30 June 2017

Accepted Date: 22 July 2017

Please cite this article as: Domingues, C.E.C., Abdalla, F. Camargo., Balsamo, Paulo. José., Pereira, B.V.R., de Alencar Hausen, M., Costa, M.J., Silva-Zacarin, E.C.M., Thiamethoxam and picoxystrobin reduce the survival and overload the hepato-nephrocitic system of the Africanized honeybee, *Chemosphere* (2017), doi: [10.1016/j.chemosphere.2017.07.133](https://doi.org/10.1016/j.chemosphere.2017.07.133).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

GROUPS	HEMOCYTES	FAT BODY	PERICARDIAL CELLS	DORSAL VESSEL
CTL				
TXT				
PXT				
TXT + PXT/2				

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5746079>

Download Persian Version:

<https://daneshyari.com/article/5746079>

[Daneshyari.com](https://daneshyari.com)