Accepted Manuscript

Phenotypical, physiological and biochemical analyses provide insight into selenium-induced phytotoxicity in rice plants

Mohammad Golam Mostofa, Mohammad Anwar Hossain, Md Nurealam Siddiqui, Masayuki Fujita, Lam-Son Phan Tran

PII: S0045-6535(17)30409-5

DOI: 10.1016/j.chemosphere.2017.03.046

Reference: CHEM 18964

To appear in: *ECSN*

Received Date: 3 December 2016

Revised Date: 23 February 2017

Accepted Date: 11 March 2017

Please cite this article as: Mostofa, M.G., Hossain, M.A., Siddiqui, M.N., Fujita, M., Tran, L.-S.P., Phenotypical, physiological and biochemical analyses provide insight into selenium-induced phytotoxicity in rice plants, *Chemosphere* (2017), doi: 10.1016/j.chemosphere.2017.03.046.

Phenotypical, physiological and biochemical analyses provide insight into selenium-induced phytotoxicity in rice plants

Mohammad Golam Mostofa[a,b,1], Mohammad Anwar Hossain[c], Md Nurealam Siddiqui[b], Masayuki Fujita[a,*], and Lam-Son Phan Tran[d,e*]

[a]*Laboratory of Plant Stress Responses, Department of Applied Biological Science, Faculty of Agriculture, Kagawa University, Miki, Kagawa 761-0795, Japan*

[b]*Department of Biochemistry and Molecular Biology, Bangabandhu Shiekh Mujibur Rahman Agricultural University, Gazipur-1706, Bangladesh.*

[c]*Department of Genetics and Plant Breeding, Bangladesh Agricultural University, Mymensingh 2202, Bangladesh*

[d]*Plant Abiotic Stress Research Group, Faculty of Applied Sciences, Ton Duc Thang University, Ho Chi Minh City, Vietnam*

[e]*Signaling Pathway Research Unit, RIKEN Center for Sustainable Resource Science, 1-7-22, Suehiro-cho, Tsurumi, Yokohama 230-0045, Japan.*

[*]Corresponding authors:

Masayuki Fujita

Laboratory of Plant Stress Responses, Department of Applied Biological Science, Faculty of Agriculture, Kagawa University, Miki, Kagawa 761-0795, Japan

Email: fujita@ag.kagawa-u.ac.jp

and