

Accepted Manuscript

Water quality impacts of bare peat revegetation with lime and fertiliser application

A.G. Stimson, T.E.H. Allott, S. Boulton, M.G. Evans, M. Pilkington, Nicole Holland

PII: S0883-2927(17)30274-3

DOI: [10.1016/j.apgeochem.2017.09.003](https://doi.org/10.1016/j.apgeochem.2017.09.003)

Reference: AG 3944

To appear in: *Applied Geochemistry*

Received Date: 22 March 2017

Revised Date: 2 September 2017

Accepted Date: 4 September 2017

Please cite this article as: Stimson, A.G., Allott, T.E.H., Boulton, S., Evans, M.G., Pilkington, M., Holland, N., Water quality impacts of bare peat revegetation with lime and fertiliser application, *Applied Geochemistry* (2017), doi: [10.1016/j.apgeochem.2017.09.003](https://doi.org/10.1016/j.apgeochem.2017.09.003).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Water quality impacts of bare peat revegetation with lime and fertiliser application.

A.G. Stimson^a, T.E.H. Allott^a, S Boulton^b, M. G. Evans^a, M Pilkington^c Nicole Holland^a

^aUpland Environments Research Unit, School of Environment, Education and Development, The University of Manchester, Oxford Road, M13 9PL, United Kingdom.

^bSchool of Earth, Atmospheric and Environmental Science, University of Manchester, Oxford Road, Manchester, M13 9PL, UK.

^cMoors for the Future Partnership Moorland Centre, Fieldhead, Hope Valley S33 7ZA

Highlights

- 4-year dataset covers peatland revegetation with lime and fertiliser application.
- Impacts on runoff waters to headwater fluvial systems monitored.
- No lasting impact on Dissolved Organic Carbon, but temporary suppression evident.
- Maximum Dissolved Organic Carbon suppression recorded is 50% of control values.
- Initial high phosphate export suggests application regime may need adjustment.

Download English Version:

<https://daneshyari.com/en/article/5752448>

Download Persian Version:

<https://daneshyari.com/article/5752448>

[Daneshyari.com](https://daneshyari.com)