

Accepted Manuscript

Primary and secondary particulate matter intake fraction from different height emission sources

Fatema Parvez, Carmen Lamancusa, Kristina Wagstrom



PII: S1352-2310(17)30391-6

DOI: [10.1016/j.atmosenv.2017.06.011](https://doi.org/10.1016/j.atmosenv.2017.06.011)

Reference: AEA 15372

To appear in: *Atmospheric Environment*

Received Date: 16 September 2016

Revised Date: 4 April 2017

Accepted Date: 4 June 2017

Please cite this article as: Parvez, F., Lamancusa, C., Wagstrom, K., Primary and secondary particulate matter intake fraction from different height emission sources, *Atmospheric Environment* (2017), doi: 10.1016/j.atmosenv.2017.06.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Emission Height


$$iF_0 > iF_{short} > iF_{tall}$$

h_{tall}

h_{short}

h_0

Ground Level



Download English Version:

<https://daneshyari.com/en/article/5752904>

Download Persian Version:

<https://daneshyari.com/article/5752904>

[Daneshyari.com](https://daneshyari.com)