

# Accepted Manuscript

An example of aerosol pattern variability over bright surface using high resolution MODIS MAIAC: The eastern and western areas of the Dead Sea and environs

Sever Lee, Alpert Pinhas, Lyapustin Alexei, Wang Yujie, Chudnovsky A. Alexandra



PII: S1352-2310(17)30436-3

DOI: [10.1016/j.atmosenv.2017.06.047](https://doi.org/10.1016/j.atmosenv.2017.06.047)

Reference: AEA 15409

To appear in: *Atmospheric Environment*

Received Date: 10 January 2017

Revised Date: 21 June 2017


Accepted Date: 28 June 2017

Please cite this article as: Lee, S., Pinhas, A., Alexei, L., Yujie, W., Alexandra, C.A., An example of aerosol pattern variability over bright surface using high resolution MODIS MAIAC: The eastern and western areas of the Dead Sea and environs, *Atmospheric Environment* (2017), doi: 10.1016/j.atmosenv.2017.06.047.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Graphical Abstract**

Different AOD patterns emerged over the Dead Sea coasts



Download English Version:

<https://daneshyari.com/en/article/5752933>

Download Persian Version:

<https://daneshyari.com/article/5752933>

[Daneshyari.com](https://daneshyari.com)