Accepted Manuscript

Offshore expansion of the Brazilian coastal upwelling zones during Marine Isotope Stage 5



Douglas V.O. Lessa, Thiago P. Santos, Igor M. Venancio, Ana Luiza S. Albuquerque

| S0921-8181(17)30266-7 |
|--------------------------------------|
| doi: 10.1016/j.gloplacha.2017.09.006 |
| GLOBAL 2640 |
| Global and Planetary Change |
| 23 May 2017 |
| 14 August 2017 |
| 12 September 2017 |
| |

Please cite this article as: Douglas V.O. Lessa, Thiago P. Santos, Igor M. Venancio, Ana Luiza S. Albuquerque, Offshore expansion of the Brazilian coastal upwelling zones during Marine Isotope Stage 5, *Global and Planetary Change* (2017), doi: 10.1016/j.gloplacha.2017.09.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Offshore expansion of the Brazilian coastal upwelling zones during Marine Isotope

Stage 5

Douglas V. O. Lessa¹, Thiago P. Santos¹, Igor M. Venancio^{1,2}, Ana Luiza S.

Albuquerque¹

¹ Programa de Pós-Graduação em Geoquímica Ambiental, Universidade Federal

Fluminense, Niterói, Brazil, 24.020-141

² MARUM - Center for Marine Environmental Sciences and Faculty of Geosciences,

University of Bremen, D-28359 Bremen, Germany

Corresponding Author (*)

Ana Luiza Albuquerque

Programa de Geoquímica Ambiental

Universidade Federal Fluminense

Outeiro São João Baptista s/n., Niterói – 24.020-141, Rio de Janeiro, Brazil

Phone: +55 21 2629 2197

Email: ana_albuquerque@id.uff.br

Abstract

Paleoceanographic reconstructions in upwelling regions can provide relevant information about changes in primary productivity, ocean–atmosphere interactions, and the carbon budget. Here, we assessed new data on planktonic foraminifera from a sediment core located near to coastal upwelling zones along the Brazilian Coast. Our new data were combined with previous records to reveal the state of upwelling systems along the western South Atlantic margin throughout the last two deglacial and interglacial periods *sensu lato*. Despite the contemporary oligotrophic scenario of the Download English Version:

https://daneshyari.com/en/article/5755205

Download Persian Version:

https://daneshyari.com/article/5755205

Daneshyari.com