

Bioturbation-influenced fluid pathways within a carbonate platform system: The Lower Cretaceous (Aptian–Albian) Glen Rose Limestone

James A. Golab, Jon J. Smith, Allan K. Clark, Robert R. Morris

PII: S0031-0182(16)30631-9
DOI: doi: 10.1016/j.palaeo.2016.10.025
Reference: PALAEO 8021

To appear in: *Palaeogeography, Palaeoclimatology, Palaeoecology*

Received date: 16 February 2016
Revised date: 14 October 2016
Accepted date: 19 October 2016

Please cite this article as: Golab, James A., Smith, Jon J., Clark, Allan K., Morris, Robert R., Bioturbation-influenced fluid pathways within a carbonate platform system: The Lower Cretaceous (Aptian–Albian) Glen Rose Limestone, *Palaeogeography, Palaeoclimatology, Palaeoecology* (2016), doi: 10.1016/j.palaeo.2016.10.025

BIOTURBATION-INFLUENCED FLUID PATHWAYS WITHIN A CARBONATE PLATFORM SYSTEM: THE LOWER CRETACEOUS (APTIAN–ALBIAN) GLEN ROSE LIMESTONE

JAMES A. GOLAB[a,*], JON J. SMITH[b], ALLAN K. CLARK[c], AND ROBERT R. MORRIS[c]

[a] *Department of Geology, University of Kansas, 1475 Jayhawk Blvd., rm 120, Lindley Hall, Lawrence, Kansas, 66045, USA,* [*]*jgolab@ku.edu;*

[b] *Kansas Geological Survey, University of Kansas, 1930 Constant Blvd., Lawrence, Kansas, 66046, USA;*

[c] *Texas Water Science Center, U.S. Geological Survey, 5563 De Zavala Rd., Suite 290, San Antonio, Texas, 78249, USA.*

[*] *Corresponding Author*