Accepted Manuscript



Total electron acceptor loading and composition affect hexavalent uranium reduction and microbial community structure in a membrane biofilm reactor

Aura Ontiveros-Valencia, Chen Zhou, Zehra Esra Ilhan, Louis Cornette de Saint Cyr, Rosa Krajmalnik-Brown, Bruce E. Rittmann

PII: S0043-1354(17)30724-8

DOI: 10.1016/j.watres.2017.08.060

Reference: WR 13183

To appear in: *Water Research*

Received Date: 27 May 2017

Revised Date: 26 August 2017

Accepted Date: 28 August 2017

Please cite this article as: Ontiveros-Valencia, A., Zhou, C., Ilhan, Z.E., de Saint Cyr, L.C., Krajmalnik-Brown, R., Rittmann, B.E., Total electron acceptor loading and composition affect hexavalent uranium reduction and microbial community structure in a membrane biofilm reactor, *Water Research* (2017), doi: 10.1016/j.watres.2017.08.060.

Total electron acceptor loading and composition affect hexavalent uranium reduction and microbial community structure in a Membrane Biofilm Reactor

Aura Ontiveros-Valencia[1,2,3], Chen Zhou[1*], Zehra Esra Ilhan[1], Louis Cornette de Saint Cyr[1,4], Rosa Krajmalnik-Brown[1], Bruce E. Rittmann[1]

[1]Biodesign Swette Center for Environmental Biotechnology, Arizona State University, 1001 South McAllister Ave. Tempe, AZ 85287-5701 USA

[2]Escuela de Ingenieria y Ciencias, Tecnologico de Monterrey, Campus Monterrey, Ave. Eugenio Garza Sada 2501, Monterrey, N.L. 64849, Mexico.

[3]Department of Civil and Environmental Engineering and Earth Sciences, University of Notre Dame, 156 Fitzpatrick Hall, Notre Dame, IN 46617, USA.

[4]Institut Sup'Biotech de Paris, France

*Corresponding author

Swette Center for Environmental Biotechnology, Biodesign Institute, Arizona State University, Tempe, AZ 85207-5701, USA

Tel: +01-480-634-3755

Email: zhou_SCEB@asu.edu

Running title: Hydrogenotrophic biofilm community reducing U(VI).