


Accepted Manuscript

Sanitary evaluation of domestic water supply facilities with storage tanks and detection of *Aeromonas*, enteric and related bacteria in domestic water facilities in Okinawa Prefecture of Japan

Kazufumi Miyagi, Kouichi Sano, Itaru Hirai



PII: S0043-1354(17)30257-9

DOI: [10.1016/j.watres.2017.04.002](https://doi.org/10.1016/j.watres.2017.04.002)

Reference: WR 12799

To appear in: *Water Research*

Received Date: 6 September 2016

Revised Date: 31 March 2017

Accepted Date: 1 April 2017

Please cite this article as: Miyagi, K., Sano, K., Hirai, I., Sanitary evaluation of domestic water supply facilities with storage tanks and detection of *Aeromonas*, enteric and related bacteria in domestic water facilities in Okinawa Prefecture of Japan, *Water Research* (2017), doi: 10.1016/j.watres.2017.04.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Sanitary evaluation of domestic water supply facilities with storage tanks and detection**
2 **of *Aeromonas*, enteric and related bacteria in domestic water facilities in Okinawa**
3 **Prefecture of Japan**

4
5 **Authors:** Kazufumi Miyagi¹, Kouichi Sano² and Itaru Hirai¹

6
7 **Institutions:**

8 ¹Laboratory of Microbiology, School of Health Sciences, Faculty of Medicine, University of
9 the Ryukyus, 207 Uehara, Nishihara-cho, Okinawa 903-0215, Japan (K. Miyagi, PhD; I.
10 Hirai, PhD)

11 ² Department of Microbiology, Osaka Medical College, 2-7 Daigaku-machi, Takatsuki-shi,
12 Osaka 569-8686, Japan (K. Sano, MD, PhD)

13
14 **Correspondence:**

15 Kazufumi Miyagi, Laboratory of Microbiology, School of Health Sciences, Faculty of
16 Medicine, University of the Ryukyus, 207 Uehara, Nishihara-cho, Okinawa 903-0215, Japan

17 Telephone: +81-098-895-3331

18 Facsimile: +81-098-895-1432

19 e-mail: k-miyagi@med.u-ryukyu.ac.jp

20
21 **Keywords:**

22 drinking water; sanitary evaluation; water supply facilities; storage tank; *Aeromonas* species;
23 enteric bacteria

24

Download English Version:

<https://daneshyari.com/en/article/5759007>

Download Persian Version:

<https://daneshyari.com/article/5759007>

[Daneshyari.com](https://daneshyari.com)