

Accepted Manuscript

How do operating conditions affect As(III) removal by iron electrocoagulation?

Caroline Delaire, Susan Amrose, Minghui Zhang, James Hake, Ashok Gadgil

PII: S0043-1354(17)30036-2

DOI: [10.1016/j.watres.2017.01.030](https://doi.org/10.1016/j.watres.2017.01.030)

Reference: WR 12631

To appear in: *Water Research*


Received Date: 28 September 2016



Revised Date: 14 January 2017

Accepted Date: 17 January 2017

Please cite this article as: Delaire, C., Amrose, S., Zhang, M., Hake, J., Gadgil, A., How do operating conditions affect As(III) removal by iron electrocoagulation?, *Water Research* (2017), doi: 10.1016/j.watres.2017.01.030.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/5759300>

Download Persian Version:

<https://daneshyari.com/article/5759300>

[Daneshyari.com](https://daneshyari.com)